

BioEnt - Early Season Survey Gary Manley 269-273-7070 or 269-816-1080

Seed Corn Corn Soybeans Wheat _____ Grower MSY Date 6/5 2014
 Field Name/Number GR2 Growth Stage V5
 General Appearance OK Size 78" Variance OK Leaf Color OK Variance OK
 Plant Population OK Soil Moisture 0-12 70/75 12+ 75 %AWC

Vigor: Good OK Poor General Spotty
Stress: Heat Moisture Nitrogen General Spotty
Stress-Chlorophyll: None Low High General Spotty
Weed Control: Good OK Poor Spotty Dense Spots
 Grasses Broadleaves Perennials

ACTION:
 None Required *looks OK*
 Watch
 Yes, see comments

Comments:
~~No Stover~~ Corn Population
30 31 31 32 30 29
30,500 ACRE
 V5 78" Range
 Planted May 10 - 2014
~~Stover~~ Remain
31 31 30 31
30,750 ACRE

- | | |
|--|--|
| <input type="checkbox"/> Annual Grasses AG | <input type="checkbox"/> Pigweed RRP |
| <input type="checkbox"/> Foxtail F | <input type="checkbox"/> Horsenettle HN |
| <input type="checkbox"/> Panicum -Fall FP | <input type="checkbox"/> Bindweed -Field FBW |
| <input type="checkbox"/> Quack grass QG | <input type="checkbox"/> Bindweed -Hedge HBW |
| <input type="checkbox"/> Wirestem Muhly WM | <input type="checkbox"/> Smartweed -Penn. PSM |
| <input type="checkbox"/> Field Sandbur FS | <input type="checkbox"/> Smart -Swamp SSM |
| <input type="checkbox"/> Crabgrass CG | <input type="checkbox"/> Dogbane -Hemp HDB |
| <input type="checkbox"/> Johnsongrass JG | <input type="checkbox"/> Lambsquarter LQU |
| <input type="checkbox"/> Shattercane SCA | <input type="checkbox"/> Ragweed CRAG |
| <input type="checkbox"/> Nutsedge NS | <input type="checkbox"/> Ragweed -Giant GRAG |
| <input type="checkbox"/> Winter Annuals WA | <input type="checkbox"/> Dock -Curly CD |
| <input type="checkbox"/> Chickweed CW | <input type="checkbox"/> Nightshade -Black BNS |
| <input type="checkbox"/> Biannuals WB | <input type="checkbox"/> Jimsonweed JW |
| <input type="checkbox"/> Cover Crop CC | <input type="checkbox"/> Canada Thistle CTH |
| <input type="checkbox"/> Velvetleaf VL | <input type="checkbox"/> Yellow Rocket YR |
| <input type="checkbox"/> Cocklebur CBUR | <input type="checkbox"/> Perennials P |
| <input type="checkbox"/> Milkweed CM | <input type="checkbox"/> Pokeweed PW |

good weed control
 W...waited...E
 Reps 1, 3, 4, 5
 No Damage
 S looks good

- | | | | |
|---|---|--|-----------------------------------|
| <input type="checkbox"/> Germination | <input type="checkbox"/> No | <input type="checkbox"/> 1/4" Root | <input type="checkbox"/> Spike PE |
| <input type="checkbox"/> Emergence | <input type="checkbox"/> Breaking | <input type="checkbox"/> VC / V1 | |
| <input type="checkbox"/> Nutrient Deficiency | <input type="checkbox"/> Spots | <input type="checkbox"/> General | _____ |
| <input type="checkbox"/> Soil Compaction: | <input type="checkbox"/> Soil Surface: | | |
| <input type="checkbox"/> Spots | <input type="checkbox"/> General | <input type="checkbox"/> Hard | <input type="checkbox"/> Crusted |
| <input type="checkbox"/> Standing Water | <input type="checkbox"/> Small Spots | <input type="checkbox"/> Large Spots | |
| <input type="checkbox"/> Herbicide damage | <input type="checkbox"/> Emergence stress | | |
| <input type="checkbox"/> Physiological Disorder in Corn | <input type="checkbox"/> Yellowish whorl | | |
| <input type="checkbox"/> Buggywip | <input type="checkbox"/> Stalk bending | <input type="checkbox"/> Twisted whorl | |
| <input type="checkbox"/> Doubles _____% | | | |
| <input type="checkbox"/> Density _____ | Variance _____ | | |
| <input type="checkbox"/> Growth <u>OK</u> | Variance <u>OK</u> | | |
| <input type="checkbox"/> Plant spacing _____ | Variance _____ | | |
| <input type="checkbox"/> Emergence _____ | Variance _____ | | |
| <input type="checkbox"/> Soil Temperature _____ | 2" | | |

- | | | |
|---------------------------------------|---------------------------------------|---|
| <input type="checkbox"/> Cutworms | <input type="checkbox"/> White Grubs | <input type="checkbox"/> Seed Corn Maggots |
| <input type="checkbox"/> Armyworms | <input type="checkbox"/> Flea Beetles | <input type="checkbox"/> Foliar Disease-Rust |
| <input type="checkbox"/> Stalkborers | <input type="checkbox"/> Aphids | <input type="checkbox"/> Foliar Disease-Fungi |
| <input type="checkbox"/> Wireworms | <input type="checkbox"/> Slugs | <input type="checkbox"/> Corn Borer-% _____ |
| <input type="checkbox"/> Spider mites | <input type="checkbox"/> Leafhoppers | <input type="checkbox"/> Stunted plants |

- | | |
|--------------------------------------|------------------------------------|
| <input type="checkbox"/> Root Damage | <input type="checkbox"/> Plants |
| <input type="checkbox"/> Insects | <input type="checkbox"/> Purplish |
| <input type="checkbox"/> Diseases | <input type="checkbox"/> Yellowish |
| <input type="checkbox"/> Nematodes | <input type="checkbox"/> Stunting |

BioEnt – Early Season Survey

Gary Manley 269-273-7070 or 269-816-1080

Seed Corn Corn Soybeans Wheat _____
 Grower MSU Date 6/5/2014
 Field Name/Number G2 P2 Growth Stage VE
 General Appearance _____ Size _____ Variance _____ Leaf Color _____ Variance _____
 Plant Population VE Soil Moisture 0-12 75 12+ 80 %AWC

Vigor: Good OK Poor General Spotty
Stress: Heat Moisture Nitrogen General Spotty
Stress-Chlorophyll: None Low High General Spotty
Weed Control: Good OK Poor Spotty Dense Spots
 Grasses Broadleaves Perennials


ACTION:
 None Required *early spike*
 Watch
 Yes, see comments

Comments:

Ry harvested 29th may
 Planted 30 may
 Roundup 31 may

 early spike 25%
 emerged-emerging.

- | | |
|--|--|
| <input type="checkbox"/> Annual Grasses AG | <input type="checkbox"/> Pigweed RRP |
| <input type="checkbox"/> Foxtail F | <input type="checkbox"/> Horsenettle HN |
| <input type="checkbox"/> Panicum -Fall FP | <input type="checkbox"/> Bindweed -Field FBW |
| <input type="checkbox"/> Quack grass QG | <input type="checkbox"/> Bindweed -Hedge HBW |
| <input type="checkbox"/> Wirestem Muhly WM | <input type="checkbox"/> Smartweed -Penn. PSM |
| <input type="checkbox"/> Field Sandbur FS | <input type="checkbox"/> Smart -Swamp SSM |
| <input type="checkbox"/> Crabgrass CG | <input type="checkbox"/> Dogbane -Hemp HDB |
| <input type="checkbox"/> Johnsongrass JG | <input type="checkbox"/> Lambsquarter LQU |
| <input type="checkbox"/> Shattercane SCA | <input type="checkbox"/> Ragweed CRAG |
| <input type="checkbox"/> Nutsedge NS | <input type="checkbox"/> Ragweed -Giant GRAG |
| <input type="checkbox"/> Winter Annuals WA | <input type="checkbox"/> Dock -Curly CD |
| <input type="checkbox"/> Chickweed CW | <input type="checkbox"/> Nightshade -Black BNS |
| <input type="checkbox"/> Biannuals WB | <input type="checkbox"/> Jimsonweed JW |
| <input type="checkbox"/> Cover Crop CC | <input type="checkbox"/> Canada Thistle CTH |
| <input type="checkbox"/> Velvetleaf VL | <input type="checkbox"/> Yellow Rocket YR |
| <input type="checkbox"/> Cocklebur CBUR | <input type="checkbox"/> Perennials P |
| <input type="checkbox"/> Milkweed CM | <input type="checkbox"/> Pokeweed PW |



- | | | | |
|---|---|--|--|
| <input type="checkbox"/> Germination | <input type="checkbox"/> No | <input type="checkbox"/> 1/4" Root | <input checked="" type="checkbox"/> Spike PE |
| <input checked="" type="checkbox"/> Emergence | <input type="checkbox"/> Breaking | <input type="checkbox"/> VC / V1 | |
| <input type="checkbox"/> Nutrient Deficiency | <input type="checkbox"/> Spots | <input type="checkbox"/> General | |
| <input type="checkbox"/> Soil Compaction: | <input type="checkbox"/> Soil Surface: | | |
| <input type="checkbox"/> Spots | <input type="checkbox"/> General | <input type="checkbox"/> Hard | <input type="checkbox"/> Crusted |
| <input type="checkbox"/> Standing Water | <input type="checkbox"/> Small Spots | <input type="checkbox"/> Large Spots | |
| <input type="checkbox"/> Herbicide damage | <input type="checkbox"/> Emergence stress | | |
| <input type="checkbox"/> Physiological Disorder in Corn | <input type="checkbox"/> Yellowish whorl | | |
| <input type="checkbox"/> Buggywip | <input type="checkbox"/> Stalk bending | <input type="checkbox"/> Twisted whorl | |
| <input type="checkbox"/> Doubles _____% | | | |
| <input type="checkbox"/> Density _____ | Variance _____ | | |
| <input type="checkbox"/> Growth _____ | Variance _____ | | |
| <input type="checkbox"/> Plant spacing _____ | Variance _____ | | |
| <input type="checkbox"/> Emergence _____ | Variance _____ | | |
| <input type="checkbox"/> Soil Temperature _____ | 2" | | |

- | | | | | |
|---------------------------------------|---------------------------------------|---|--------------------------------------|------------------------------------|
| <input type="checkbox"/> Cutworms | <input type="checkbox"/> White Grubs | <input type="checkbox"/> Seed Corn Maggots | <input type="checkbox"/> Root Damage | <input type="checkbox"/> Plants |
| <input type="checkbox"/> Armyworms | <input type="checkbox"/> Flea Beetles | <input type="checkbox"/> Foliar Disease-Rust | <input type="checkbox"/> Insects | <input type="checkbox"/> Purplish |
| <input type="checkbox"/> Stalkborers | <input type="checkbox"/> Aphids | <input type="checkbox"/> Foliar Disease-Fungi | <input type="checkbox"/> Diseases | <input type="checkbox"/> Yellowish |
| <input type="checkbox"/> Wireworms | <input type="checkbox"/> Slugs | <input type="checkbox"/> Corn Borer-% _____ | <input type="checkbox"/> Nematodes | <input type="checkbox"/> Stunting |
| <input type="checkbox"/> Spider mites | <input type="checkbox"/> Leafhoppers | <input type="checkbox"/> Stunted plants | | |

BioEnt – Early Season Survey *Gary Manley 269-273-7070 or 269-816-1080*

Seed Corn Corn Soybeans Wheat _____ Grower MSU Date 6/5 2014
 Field Name/Number Q3R2 Growth Stage VE
 General Appearance _____ Size _____ Variance _____ Leaf Color _____ Variance _____
 Plant Population VE Soil Moisture 0-12 75 12+ 80 %AWC


- Vigor:** Good OK Poor General Spotty
Stress: Heat Moisture Nitrogen General Spotty
Stress-Chlorophyll: None Low High General Spotty
Weed Control: Good OK Poor Spotty Dense Spots
 Grasses Broadleaves Perennials

ACTION:

None Required *early spike*
 Watch
 Yes, see comments

Comments:
 May 29 Rye harvested
 May 30 Planted
 May 31 sprayed Roundup
 emergence < 25%
 good weed control

- | | |
|--|--|
| <input type="checkbox"/> Annual Grasses AG | <input type="checkbox"/> Pigweed RRP |
| <input type="checkbox"/> Foxtail F | <input type="checkbox"/> Horsenettle HN |
| <input type="checkbox"/> Panicum -Fall FP | <input type="checkbox"/> Bindweed -Field FBW |
| <input type="checkbox"/> Quack grass QG | <input type="checkbox"/> Bindweed -Hedge HBW |
| <input type="checkbox"/> Wirestem Muhly WM | <input type="checkbox"/> Smartweed -Penn. PSM |
| <input type="checkbox"/> Field Sandbur FS | <input type="checkbox"/> Smart -Swamp SSM |
| <input type="checkbox"/> Crabgrass CG | <input type="checkbox"/> Dogbane -Hemp HDB |
| <input type="checkbox"/> Johnsongrass JG | <input type="checkbox"/> Lambsquarter LQU |
| <input type="checkbox"/> Shattercane SCA | <input type="checkbox"/> Ragweed CRAG |
| <input type="checkbox"/> Nutsedge NS | <input type="checkbox"/> Ragweed -Giant GRAG |
| <input type="checkbox"/> Winter Annuals WA | <input type="checkbox"/> Dock -Curly CD |
| <input type="checkbox"/> Chickweed CW | <input type="checkbox"/> Nightshade -Black BNS |
| <input type="checkbox"/> Biannuals WB | <input type="checkbox"/> Jimsonweed JW |
| <input type="checkbox"/> Cover Crop CC | <input type="checkbox"/> Canada Thistle CTH |
| <input type="checkbox"/> Velvetleaf VL | <input type="checkbox"/> Yellow Rocket YR |
| <input type="checkbox"/> Cocklebur CBUR | <input type="checkbox"/> Perennials P |
| <input type="checkbox"/> Milkweed CM | <input type="checkbox"/> Pokeweed PW |



- Germination No 1/4" Root Spike PE
 Emergence Breaking VC / V1
 Nutrient Deficiency Spots General _____
 Soil Compaction: Soil Surface:
 Spots General Hard Crusted
 Standing Water Small Spots Large Spots
 Herbicide damage Emergence stress
 Physiological Disorder in Corn Yellowish whorl
 Buggywip Stalk bending Twisted whorl
 Doubles _____ %
 Density _____ Variance _____
 Growth _____ Variance _____
 Plant spacing _____ Variance _____
 Emergence _____ Variance _____
 Soil Temperature _____ 2"

- | | | |
|---------------------------------------|---------------------------------------|---|
| <input type="checkbox"/> Cutworms | <input type="checkbox"/> White Grubs | <input type="checkbox"/> Seed Corn Maggots |
| <input type="checkbox"/> Armyworms | <input type="checkbox"/> Flea Beetles | <input type="checkbox"/> Foliar Disease-Rust |
| <input type="checkbox"/> Stalkborers | <input type="checkbox"/> Aphids | <input type="checkbox"/> Foliar Disease-Fungi |
| <input type="checkbox"/> Wireworms | <input type="checkbox"/> Slugs | <input type="checkbox"/> Corn Borer-% _____ |
| <input type="checkbox"/> Spider mites | <input type="checkbox"/> Leafhoppers | <input type="checkbox"/> Stunted plants |

- | | |
|--------------------------------------|------------------------------------|
| <input type="checkbox"/> Root Damage | <input type="checkbox"/> Plants |
| <input type="checkbox"/> Insects | <input type="checkbox"/> Purplish |
| <input type="checkbox"/> Diseases | <input type="checkbox"/> Yellowish |
| <input type="checkbox"/> Nematodes | <input type="checkbox"/> Stunting |

BioEnt - Early Season Survey Gary Manley 269-273-7070 or 269-816-1080

Seed Corn Corn Soybeans Wheat _____ Grower MSU Date 6/5/2014
 Field Name/Number G4R2 Growth Stage _____
 General Appearance OK Size _____ Variance _____ Leaf Color _____ Variance _____
 Plant Population UE Soil Moisture 0-12 75 12+ 80 %AWC _____


Vigor: Good OK Poor General Spotty
Stress: Heat Moisture Nitrogen General Spotty
Stress-Chlorophyll: None Low High General Spotty
Weed Control: Good OK Poor Spotty Dense Spots
 Grasses Broadleaves Perennials

ACTION:
 None Required *Starting to emerge*
 Watch
 Yes, see comments

Comments: *Planted May 30 2014*
UE - starting to emerge

Rye harvested May 29th
Spray Roundup May 31

- | | |
|--|--|
| <input type="checkbox"/> Annual Grasses AG | <input type="checkbox"/> Pigweed RRP |
| <input type="checkbox"/> Foxtail F | <input type="checkbox"/> Horsenettle HN |
| <input type="checkbox"/> Panicum -Fall FP | <input type="checkbox"/> Bindweed -Field FBW |
| <input type="checkbox"/> Quack grass QG | <input type="checkbox"/> Bindweed -Hedge HBW |
| <input type="checkbox"/> Wirestem Muhly WM | <input type="checkbox"/> Smartweed -Penn. PSM |
| <input type="checkbox"/> Field Sandbur FS | <input type="checkbox"/> Smart -Swamp SSM |
| <input type="checkbox"/> Crabgrass CG | <input type="checkbox"/> Dogbane -Hemp HDB |
| <input type="checkbox"/> Johnsongrass JG | <input type="checkbox"/> Lambsquarter LQU |
| <input type="checkbox"/> Shattercane SCA | <input type="checkbox"/> Ragweed CRAG |
| <input type="checkbox"/> Nutsedge NS | <input type="checkbox"/> Ragweed -Giant GRAG |
| <input type="checkbox"/> Winter Annuals WA | <input type="checkbox"/> Dock -Curly CD |
| <input type="checkbox"/> Chickweed CW | <input type="checkbox"/> Nightshade -Black BNS |
| <input type="checkbox"/> Biannuals WB | <input type="checkbox"/> Jimsonweed JW |
| <input type="checkbox"/> Cover Crop CC | <input type="checkbox"/> Canada Thistle CTH |
| <input type="checkbox"/> Velvetleaf VL | <input type="checkbox"/> Yellow Rocket YR |
| <input type="checkbox"/> Cocklebur CBUR | <input type="checkbox"/> Perennials P |
| <input type="checkbox"/> Milkweed CM | <input type="checkbox"/> Pokeweed PW |



Germination No 1/4" Root Spike PE
 Emergence Breaking VC / V1
 Nutrient Deficiency Spots General _____
 Soil Compaction: Soil Surface:
 Spots General Hard Crusted
 Standing Water Small Spots Large Spots
 Herbicide damage Emergence stress
 Physiological Disorder in Corn Yellowish whorl
 Buggywip Stalk bending Twisted whorl
 Doubles _____ %
 Density _____ Variance _____
 Growth _____ Variance _____
 Plant spacing _____ Variance _____
 Emergence _____ Variance _____
 Soil Temperature _____ 2"

Cutworms White Grubs Seed Corn Maggots
 Armyworms Flea Beetles Foliar Disease-Rust
 Stalkborers Aphids Foliar Disease-Fungi
 Wireworms Slugs Corn Borer-% _____
 Spider mites Leafhoppers Stunted plants

Root Damage Plants
 Insects Purplish
 Diseases Yellowish
 Nematodes Stunting