

BioEnt – Early Season Survey *Gary Manley 269-273-7070 or 269-816-1080*

Seed Corn Corn Soybeans Wheat _____ Grower MSU Date 9/3 2014
 Field Name/Number GR4 Growth Stage V12/13
 General Appearance OK Size 5+ Variance OK Leaf Color OK Variance _____
 Plant Population OK Soil Moisture 0-12 90 12+ 90 %AWC _____


Vigor: Good OK Poor General Spotty
 Stress: Heat Moisture Nitrogen General Spotty
 Stress-Chlorophyll: None Low High General Spotty
 Weed Control: Good OK Poor Spotty Dense Spots
 Grasses Broadleaves Perennials

ACTION:
 None Required
 Watch
 Yes, see comments

Comments:
5-6 leaves down tassels
V12/13 Range.

Spots with snail feeding
on bottom 1-5 leaves
due to No-till & wet
Spring.

- | | |
|--|--|
| <input type="checkbox"/> Annual Grasses AG | <input type="checkbox"/> Pigweed RRP |
| <input type="checkbox"/> Foxtail F | <input type="checkbox"/> Horsenettle HN |
| <input type="checkbox"/> Panicum -Fall FP | <input type="checkbox"/> Bindweed -Field FBW |
| <input type="checkbox"/> Quack grass QG | <input type="checkbox"/> Bindweed -Hedge HBW |
| <input type="checkbox"/> Wirestem Muhly WM | <input type="checkbox"/> Smartweed -Penn. PSM |
| <input type="checkbox"/> Field Sandbur FS | <input type="checkbox"/> Smart -Swamp SSM |
| <input type="checkbox"/> Crabgrass CG | <input type="checkbox"/> Dogbane -Hemp HDB |
| <input type="checkbox"/> Johnsongrass JG | <input type="checkbox"/> Lambsquarter LQU |
| <input type="checkbox"/> Shattercane SCA | <input type="checkbox"/> Ragweed CRAG |
| <input type="checkbox"/> Nutsedge NS | <input type="checkbox"/> Ragweed -Giant GRAG |
| <input type="checkbox"/> Winter Annuals WA | <input type="checkbox"/> Dock -Curly CD |
| <input type="checkbox"/> Chickweed CW | <input type="checkbox"/> Nightshade -Black BNS |
| <input type="checkbox"/> Biannuals WB | <input type="checkbox"/> Jimsonweed JW |
| <input type="checkbox"/> Cover Crop CC | <input type="checkbox"/> Canada Thistle CTH |
| <input type="checkbox"/> Velvetleaf VL | <input type="checkbox"/> Yellow Rocket YR |
| <input type="checkbox"/> Cocklebur CBUR | <input type="checkbox"/> Perennials P |
| <input type="checkbox"/> Milkweed CM | <input type="checkbox"/> Pokeweed PW |



Germination No 1/4" Root Spike PE
 Emergence Breaking VC / V1
 Nutrient Deficiency Spots General _____
 Soil Compaction: Soil Surface:
 Spots General Hard Crusted
 Standing Water Small Spots Large Spots
 Herbicide damage Emergence stress
 Physiological Disorder in Corn Yellowish whorl
 Buggywip Stalk bending Twisted whorl
 Doubles _____ %
 Density _____ Variance _____
 Growth OK Variance OK
 Plant spacing _____ Variance _____
 Emergence _____ Variance _____
 Soil Temperature _____ 2"

- | | | |
|---------------------------------------|---------------------------------------|---|
| <input type="checkbox"/> Cutworms | <input type="checkbox"/> White Grubs | <input type="checkbox"/> Seed Corn Maggots |
| <input type="checkbox"/> Armyworms | <input type="checkbox"/> Flea Beetles | <input type="checkbox"/> Foliar Disease-Rust |
| <input type="checkbox"/> Stalkborers | <input type="checkbox"/> Aphids | <input type="checkbox"/> Foliar Disease-Fungi |
| <input type="checkbox"/> Wireworms | <input type="checkbox"/> Slugs | <input type="checkbox"/> Corn Borer-% _____ |
| <input type="checkbox"/> Spider mites | <input type="checkbox"/> Leafhoppers | <input type="checkbox"/> Stunted plants |

- | | |
|--------------------------------------|------------------------------------|
| <input type="checkbox"/> Root Damage | <input type="checkbox"/> Plants |
| <input type="checkbox"/> Insects | <input type="checkbox"/> Purplish |
| <input type="checkbox"/> Diseases | <input type="checkbox"/> Yellowish |
| <input type="checkbox"/> Nematodes | <input type="checkbox"/> Stunting |

BioEnt - Early Season Survey Gary Manley 269-273-7070 or 269-816-1080

Seed Corn Corn Soybeans Wheat _____ Grower MSU Date 7/3 2014
 Field Name/Number 62R4 Growth Stage 17/8
 General Appearance _____ Size 2' Variance ok Leaf Color ok Variance ok
 Plant Population ok Soil Moisture 0-12 90 12+ 90 %AWC _____

Vigor: Good OK Poor General Spotty
Stress: Heat Moisture Nitrogen General Spotty
Stress-Chlorophyll: None Low High General Spotty
Weed Control: Good OK Poor Spotty Dense Spots
 Grasses Broadleaves Perennials

ACTION:
 None Required
 Watch
 Yes, see comments

Comments:
26 27 28 28 26 28
27, 146 ACRE

 Spotty yellowing of bottom leaves in spots - due to low N₂
 New growth normal

- | | |
|--|--|
| <input type="checkbox"/> Annual Grasses AG | <input type="checkbox"/> Pigweed RRP |
| <input type="checkbox"/> Foxtail F | <input type="checkbox"/> Horsenettle HN |
| <input type="checkbox"/> Panicum -Fall FP | <input type="checkbox"/> Bindweed -Field FBW |
| <input type="checkbox"/> Quack grass QG | <input type="checkbox"/> Bindweed -Hedge HBW |
| <input type="checkbox"/> Wirestem Muhly WM | <input type="checkbox"/> Smartweed -Penn. PSM |
| <input type="checkbox"/> Field Sandbur FS | <input type="checkbox"/> Smart -Swamp SSM |
| <input type="checkbox"/> Crabgrass CG | <input type="checkbox"/> Dogbane -Hemp HDB |
| <input type="checkbox"/> Johnsongrass JG | <input type="checkbox"/> Lambsquarter LQU |
| <input type="checkbox"/> Shattercane SCA | <input type="checkbox"/> Ragweed CRAG |
| <input type="checkbox"/> Nutsedge NS | <input type="checkbox"/> Ragweed -Giant GRAG |
| <input type="checkbox"/> Winter Annuals WA | <input type="checkbox"/> Dock -Curly CD |
| <input type="checkbox"/> Chickweed CW | <input type="checkbox"/> Nightshade -Black BNS |
| <input type="checkbox"/> Biannuals WB | <input type="checkbox"/> Jimsonweed JW |
| <input type="checkbox"/> Cover Crop CC | <input type="checkbox"/> Canada Thistle CTH |
| <input type="checkbox"/> Velvetleaf VL | <input type="checkbox"/> Yellow Rocket YR |
| <input type="checkbox"/> Cocklebur CBUR | <input type="checkbox"/> Perennials P |
| <input type="checkbox"/> Milkweed CM | <input type="checkbox"/> Pokeweed PW |

N
 No Insect or disease levels noted
 W E
 Could be due to high rain fall or perhaps late as a result of Rye crop prior to planting
 S

Germination No 1/4" Root Spike PE
 Emergence Breaking VC / V1
 Nutrient Deficiency Spots General _____
 Soil Compaction: Soil Surface:
 Spots General Hard Crusted
 Standing Water Small Spots Large Spots
 Herbicide damage Emergence stress
 Physiological Disorder in Corn Yellowish whorl
 Buggywip Stalk bending Twisted whorl
 Doubles _____ %
 Density _____ Variance _____
 Growth ok Variance ok
 Plant spacing _____ Variance _____
 Emergence _____ Variance _____
 Soil Temperature _____ 2"

- | | | |
|---------------------------------------|---------------------------------------|---|
| <input type="checkbox"/> Cutworms | <input type="checkbox"/> White Grubs | <input type="checkbox"/> Seed Corn Maggots |
| <input type="checkbox"/> Armyworms | <input type="checkbox"/> Flea Beetles | <input type="checkbox"/> Foliar Disease-Rust |
| <input type="checkbox"/> Stalkborers | <input type="checkbox"/> Aphids | <input type="checkbox"/> Foliar Disease-Fungi |
| <input type="checkbox"/> Wireworms | <input type="checkbox"/> Slugs | <input type="checkbox"/> Corn Borer-% _____ |
| <input type="checkbox"/> Spider mites | <input type="checkbox"/> Leafhoppers | <input type="checkbox"/> Stunted plants |

- | | |
|--------------------------------------|------------------------------------|
| <input type="checkbox"/> Root Damage | <input type="checkbox"/> Plants |
| <input type="checkbox"/> Insects | <input type="checkbox"/> Purplish |
| <input type="checkbox"/> Diseases | <input type="checkbox"/> Yellowish |
| <input type="checkbox"/> Nematodes | <input type="checkbox"/> Stunting |

BioEnt – Early Season Survey *Gary Manley 269-273-7070 or 269-816-1080*


Seed Corn Corn Soybeans Wheat _____ Grower MSU Date 7/3 2014
 Field Name/Number 03 R4 Growth Stage 17/8
 General Appearance OK Size 2' Variance OK Leaf Color OK Variance OK
 Plant Population OK Soil Moisture 0-12 90 12+ 90 %AWC

Vigor: Good OK Poor General Spotty
 Stress: Heat Moisture Nitrogen General Spotty
 Stress-Chlorophyll: None Low High General Spotty
 Weed Control: Good OK Poor Spotty Dense Spots
 Grasses Broadleaves Perennials

ACTION:
 None Required
 Watch
 Yes, see comments

Comments:
29 29 29 30 29 29
29, 166 ACRE
No Insect or disease noted

- | | |
|--|--|
| <input type="checkbox"/> Annual Grasses AG | <input type="checkbox"/> Pigweed RRP |
| <input type="checkbox"/> Foxtail F | <input type="checkbox"/> Horsenettle HN |
| <input type="checkbox"/> Panicum -Fall FP | <input type="checkbox"/> Bindweed -Field FBW |
| <input type="checkbox"/> Quack grass QG | <input type="checkbox"/> Bindweed -Hedge HBW |
| <input type="checkbox"/> Wirestem Muhly WM | <input type="checkbox"/> Smartweed -Penn. PSM |
| <input type="checkbox"/> Field Sandbur FS | <input type="checkbox"/> Smart -Swamp SSM |
| <input type="checkbox"/> Crabgrass CG | <input type="checkbox"/> Dogbane -Hemp HDB |
| <input type="checkbox"/> Johnsongrass JG | <input type="checkbox"/> Lambsquarter LQU |
| <input type="checkbox"/> Shattercane SCA | <input type="checkbox"/> Ragweed CRAG |
| <input type="checkbox"/> Nutsedge NS | <input type="checkbox"/> Ragweed -Giant GRAG |
| <input type="checkbox"/> Winter Annuals WA | <input type="checkbox"/> Dock -Curly CD |
| <input type="checkbox"/> Chickweed CW | <input type="checkbox"/> Nightshade -Black BNS |
| <input type="checkbox"/> Biannuals WB | <input type="checkbox"/> Jimsonweed JW |
| <input type="checkbox"/> Cover Crop CC | <input type="checkbox"/> Canada Thistle CTH |
| <input type="checkbox"/> Velvetleaf VL | <input type="checkbox"/> Yellow Rocket YR |
| <input type="checkbox"/> Cocklebur CBUR | <input type="checkbox"/> Perennials P |
| <input type="checkbox"/> Milkweed CM | <input type="checkbox"/> Pokeweed PW |



- Germination No 1/4" Root Spike PE
 Emergence Breaking VC / V1
 Nutrient Deficiency Spots General _____
 Soil Compaction: Soil Surface:
 Spots General Hard Crusted
 Standing Water Small Spots Large Spots
 Herbicide damage Emergence stress
 Physiological Disorder in Corn Yellowish whorl
 Buggywip Stalk bending Twisted whorl
 Doubles _____ %
 Density _____ Variance _____
 Growth OK Variance OK
 Plant spacing _____ Variance _____
 Emergence _____ Variance _____
 Soil Temperature _____ 2"

- | | | |
|---------------------------------------|---------------------------------------|---|
| <input type="checkbox"/> Cutworms | <input type="checkbox"/> White Grubs | <input type="checkbox"/> Seed Corn Maggots |
| <input type="checkbox"/> Armyworms | <input type="checkbox"/> Flea Beetles | <input type="checkbox"/> Foliar Disease-Rust |
| <input type="checkbox"/> Stalkborers | <input type="checkbox"/> Aphids | <input type="checkbox"/> Foliar Disease-Fungi |
| <input type="checkbox"/> Wireworms | <input type="checkbox"/> Slugs | <input type="checkbox"/> Corn Borer-% _____ |
| <input type="checkbox"/> Spider mites | <input type="checkbox"/> Leafhoppers | <input type="checkbox"/> Stunted plants |

- | | |
|--------------------------------------|------------------------------------|
| <input type="checkbox"/> Root Damage | <input type="checkbox"/> Plants |
| <input type="checkbox"/> Insects | <input type="checkbox"/> Purplish |
| <input type="checkbox"/> Diseases | <input type="checkbox"/> Yellowish |
| <input type="checkbox"/> Nematodes | <input type="checkbox"/> Stunting |

BioEnt – Early Season Survey *Gary Manley 269-273-7070 or 269-816-1080*


Seed Corn Corn Soybeans Wheat _____ Grower MSU Date 7/3 2014
 Field Name/Number 04R4 Growth Stage V4/5
 General Appearance OK Size OK Variance OK Leaf Color OK Variance OK
 Plant Population OK Soil Moisture 0-12 90 12+ 90 %AWC _____

Vigor: Good OK Poor General Spotty
 Stress: Heat Moisture Nitrogen General Spotty
 Stress-Chlorophyll: None Low High General Spotty
 Weed Control: Good OK Poor Spotty Dense Spots
 Grasses Broadleaves Perennials

ACTION:
 None Required
 Watch
 Yes, see comments

Comments:
V4/5 6-8"
good weed control

- | | |
|--|--|
| <input type="checkbox"/> Annual Grasses AG | <input type="checkbox"/> Pigweed RRP |
| <input type="checkbox"/> Foxtail F | <input type="checkbox"/> Horsenettle HN |
| <input type="checkbox"/> Panicum -Fall FP | <input type="checkbox"/> Bindweed -Field FBW |
| <input type="checkbox"/> Quack grass QG | <input type="checkbox"/> Bindweed -Hedge HBW |
| <input type="checkbox"/> Wirestem Muhly WM | <input type="checkbox"/> Smartweed -Penn. PSM |
| <input type="checkbox"/> Field Sandbur FS | <input type="checkbox"/> Smart -Swamp SSM |
| <input type="checkbox"/> Crabgrass CG | <input type="checkbox"/> Dogbane -Hemp HDB |
| <input type="checkbox"/> Johnsongrass JG | <input type="checkbox"/> Lambsquarter LQU |
| <input type="checkbox"/> Shattercane SCA | <input type="checkbox"/> Ragweed CRAG |
| <input type="checkbox"/> Nutsedge NS | <input type="checkbox"/> Ragweed -Giant GRAG |
| <input type="checkbox"/> Winter Annuals WA | <input type="checkbox"/> Dock -Curly CD |
| <input type="checkbox"/> Chickweed CW | <input type="checkbox"/> Nightshade -Black BNS |
| <input type="checkbox"/> Biannuals WB | <input type="checkbox"/> Jimsonweed JW |
| <input type="checkbox"/> Cover Crop CC | <input type="checkbox"/> Canada Thistle CTH |
| <input type="checkbox"/> Velvetleaf VL | <input type="checkbox"/> Yellow Rocket YR |
| <input type="checkbox"/> Cocklebur CBUR | <input type="checkbox"/> Perennials P |
| <input type="checkbox"/> Milkweed CM | <input type="checkbox"/> Pokeweed PW |



- Germination No 1/4" Root Spike PE
 Emergence Breaking VC / V1
 Nutrient Deficiency Spots General _____
 Soil Compaction: Soil Surface:
 Spots General Hard Crusted
 Standing Water Small Spots Large Spots
 Herbicide damage Emergence stress
 Physiological Disorder in Corn Yellowish whorl
 Buggywip Stalk bending Twisted whorl
 Doubles _____ %
 Density OK Variance _____
 Growth OK Variance OK
 Plant spacing _____ Variance _____
 Emergence _____ Variance _____
 Soil Temperature _____ 2"

- | | | |
|---------------------------------------|---------------------------------------|---|
| <input type="checkbox"/> Cutworms | <input type="checkbox"/> White Grubs | <input type="checkbox"/> Seed Corn Maggots |
| <input type="checkbox"/> Armyworms | <input type="checkbox"/> Flea Beetles | <input type="checkbox"/> Foliar Disease-Rust |
| <input type="checkbox"/> Stalkborers | <input type="checkbox"/> Aphids | <input type="checkbox"/> Foliar Disease-Fungi |
| <input type="checkbox"/> Wireworms | <input type="checkbox"/> Slugs | <input type="checkbox"/> Corn Borer-% _____ |
| <input type="checkbox"/> Spider mites | <input type="checkbox"/> Leafhoppers | <input type="checkbox"/> Stunted plants |

- | | |
|--------------------------------------|------------------------------------|
| <input type="checkbox"/> Root Damage | <input type="checkbox"/> Plants |
| <input type="checkbox"/> Insects | <input type="checkbox"/> Purplish |
| <input type="checkbox"/> Diseases | <input type="checkbox"/> Yellowish |
| <input type="checkbox"/> Nematodes | <input type="checkbox"/> Stunting |