

BioEnt - Early Season Survey Gary Manley 269-273-7070 or 269-816-1080

Seed Corn Corn Soybeans Wheat _____ Grower MSU Date 2/17/2014
 Field Name/Number 6175 Growth Stage _____
 General Appearance good Size _____ Variance OK Leaf Color OK Variance OK
 Plant Population OK Soil Moisture 0-12 65/70 12+ 70/75 %AWC _____

Vigor: Good OK Poor General Spotty
 Stress: Heat Moisture Nitrogen General Spotty
 Stress-Chlorophyll: None Low High General Spotty
 Weed Control: Good OK Poor Spotty Dense Spots
 Grasses Broadleaves Perennials

ACTION:
 None Required
 Watch
 Yes, see comments

Comments:
U16/17 8' Range.

Corn Root worm beetles (adults) active.
0.5/ plant Range
Feeding on leaves.

- | | |
|--|--|
| <input type="checkbox"/> Annual Grasses AG | <input type="checkbox"/> Pigweed RRP |
| <input type="checkbox"/> Foxtail F | <input type="checkbox"/> Horsenettle HN |
| <input type="checkbox"/> Panicum -Fall FP | <input type="checkbox"/> Bindweed -Field FBW |
| <input type="checkbox"/> Quack grass QG | <input type="checkbox"/> Bindweed -Hedge HBW |
| <input type="checkbox"/> Wirestem Muhly WM | <input type="checkbox"/> Smartweed -Penn. PSM |
| <input type="checkbox"/> Field Sandbur FS | <input type="checkbox"/> Smart -Swamp SSM |
| <input type="checkbox"/> Crabgrass CG | <input type="checkbox"/> Dogbane -Hemp HDB |
| <input type="checkbox"/> Johnsongrass JG | <input type="checkbox"/> Lambsquarter LQU |
| <input type="checkbox"/> Shattercane SCA | <input type="checkbox"/> Ragweed CRAG |
| <input type="checkbox"/> Nutsedge NS | <input type="checkbox"/> Ragweed -Giant GRAG |
| <input type="checkbox"/> Winter Annuals WA | <input type="checkbox"/> Dock -Curly CD |
| <input type="checkbox"/> Chickweed CW | <input type="checkbox"/> Nightshade -Black BNS |
| <input type="checkbox"/> Biannuals WB | <input type="checkbox"/> Jimsonweed JW |
| <input type="checkbox"/> Cover Crop CC | <input type="checkbox"/> Canada Thistle CTH |
| <input type="checkbox"/> Velvetleaf VL | <input type="checkbox"/> Yellow Rocket YR |
| <input type="checkbox"/> Cocklebur CBUR | <input type="checkbox"/> Perennials P |
| <input type="checkbox"/> Milkweed CM | <input type="checkbox"/> Pokeweed PW |

(no silk yet)
Spotty Bottom Leaf yellowing
due to Nitrogen loss.

W E

 S

- Germination No 1/4" Root Spike PE
 Emergence Breaking VC / V1
 Nutrient Deficiency Spots General _____
 Soil Compaction: Soil Surface:
 Spots General Hard Crusted
 Standing Water Small Spots Large Spots
 Herbicide damage Emergence stress
 Physiological Disorder in Corn Yellowish whorl
 Buggywip Stalk bending Twisted whorl
 Doubles _____ %
 Density _____ Variance _____
 Growth OK Variance OK
 Plant spacing _____ Variance _____
 Emergence _____ Variance _____
 Soil Temperature _____ 2"

- | | | |
|---------------------------------------|---------------------------------------|---|
| <input type="checkbox"/> Cutworms | <input type="checkbox"/> White Grubs | <input type="checkbox"/> Seed Corn Maggots |
| <input type="checkbox"/> Armyworms | <input type="checkbox"/> Flea Beetles | <input type="checkbox"/> Foliar Disease-Rust |
| <input type="checkbox"/> Stalkborers | <input type="checkbox"/> Aphids | <input type="checkbox"/> Foliar Disease-Fungi |
| <input type="checkbox"/> Wireworms | <input type="checkbox"/> Slugs | <input type="checkbox"/> Corn Borer-% _____ |
| <input type="checkbox"/> Spider mites | <input type="checkbox"/> Leafhoppers | <input type="checkbox"/> Stunted plants |

- | | |
|--------------------------------------|------------------------------------|
| <input type="checkbox"/> Root Damage | <input type="checkbox"/> Plants |
| <input type="checkbox"/> Insects | <input type="checkbox"/> Purplish |
| <input type="checkbox"/> Diseases | <input type="checkbox"/> Yellowish |
| <input type="checkbox"/> Nematodes | <input type="checkbox"/> Stunting |

BioEnt – Early Season Survey Gary Manley 269-273-7070 or 269-816-1080

Seed Corn Corn Soybeans Wheat _____ Grower MSU Date 7/17/2014
 Field Name/Number Q2 R5 Growth Stage V15/16
 General Appearance ok Size 6-7' Variance ok Leaf Color ok Variance ok
 Plant Population ok Soil Moisture 0-12 65/70 12+ 26/75 %AWC


Vigor: Good OK Poor General Spotty
 Stress: Heat Moisture Nitrogen General Spotty
 Stress-Chlorophyll: None Low High General Spotty
 Weed Control: Good OK Poor Spotty Dense Spots
 Grasses Broadleaves Perennials

ACTION:
 None Required
 Watch
 Yes, see comments

Comments:
6-7' V15/16

very low level of bottom leaf yellowing - couple of spots

- | | |
|--|--|
| <input type="checkbox"/> Annual Grasses AG | <input type="checkbox"/> Pigweed RRP |
| <input type="checkbox"/> Foxtail F | <input type="checkbox"/> Horsenettle HN |
| <input type="checkbox"/> Panicum -Fall FP | <input type="checkbox"/> Bindweed -Field FBW |
| <input type="checkbox"/> Quack grass QG | <input type="checkbox"/> Bindweed -Hedge HBW |
| <input type="checkbox"/> Wirestem Muhly WM | <input type="checkbox"/> Smartweed -Penn. PSM |
| <input type="checkbox"/> Field Sandbur FS | <input type="checkbox"/> Smart -Swamp SSM |
| <input type="checkbox"/> Crabgrass CG | <input type="checkbox"/> Dogbane -Hemp HDB |
| <input type="checkbox"/> Johnsongrass JG | <input type="checkbox"/> Lambsquarter LQU |
| <input type="checkbox"/> Shattercane SCA | <input type="checkbox"/> Ragweed CRAG |
| <input type="checkbox"/> Nutsedge NS | <input type="checkbox"/> Ragweed -Giant GRAG |
| <input type="checkbox"/> Winter Annuals WA | <input type="checkbox"/> Dock -Curly CD |
| <input type="checkbox"/> Chickweed CW | <input type="checkbox"/> Nightshade -Black BNS |
| <input type="checkbox"/> Biannuals WB | <input type="checkbox"/> Jimsonweed JW |
| <input type="checkbox"/> Cover Crop CC | <input type="checkbox"/> Canada Thistle CTH |
| <input type="checkbox"/> Velvetleaf VL | <input type="checkbox"/> Yellow Rocket YR |
| <input type="checkbox"/> Cocklebur CBUR | <input type="checkbox"/> Perennials P |
| <input type="checkbox"/> Milkweed CM | <input type="checkbox"/> Pokeweed PW |



- Germination No 1/4" Root Spike PE
 Emergence Breaking VC / V1
 Nutrient Deficiency Spots General _____
 Soil Compaction: Soil Surface:
 Spots General Hard Crusted
 Standing Water Small Spots Large Spots
 Herbicide damage Emergence stress
 Physiological Disorder in Corn Yellowish whorl
 Buggywip Stalk bending Twisted whorl
 Doubles _____ %
 Density _____ Variance _____
 Growth ok Variance ok
 Plant spacing _____ Variance _____
 Emergence _____ Variance _____
 Soil Temperature _____ 2"

- | | | |
|---------------------------------------|---------------------------------------|---|
| <input type="checkbox"/> Cutworms | <input type="checkbox"/> White Grubs | <input type="checkbox"/> Seed Corn Maggots |
| <input type="checkbox"/> Armyworms | <input type="checkbox"/> Flea Beetles | <input type="checkbox"/> Foliar Disease-Rust |
| <input type="checkbox"/> Stalkborers | <input type="checkbox"/> Aphids | <input type="checkbox"/> Foliar Disease-Fungi |
| <input type="checkbox"/> Wireworms | <input type="checkbox"/> Slugs | <input type="checkbox"/> Corn Borer-% _____ |
| <input type="checkbox"/> Spider mites | <input type="checkbox"/> Leafhoppers | <input type="checkbox"/> Stunted plants |

- | | |
|--------------------------------------|------------------------------------|
| <input type="checkbox"/> Root Damage | <input type="checkbox"/> Plants |
| <input type="checkbox"/> Insects | <input type="checkbox"/> Purplish |
| <input type="checkbox"/> Diseases | <input type="checkbox"/> Yellowish |
| <input type="checkbox"/> Nematodes | <input type="checkbox"/> Stunting |

BioEnt - Early Season Survey Gary Manley 269-273-7070 or 269-816-1080


Seed Corn Corn Soybeans Wheat _____ Grower MSU Date 7/17/2014
 Field Name/Number G3R5 Growth Stage V16
 General Appearance good Size 6' Variance ok Leaf Color ok Variance ok
 Plant Population ok Soil Moisture 0-12 45/70 12+ 70/75 %AWC

Vigor: Good OK Poor General Spotty
 Stress: Heat Moisture Nitrogen General Spotty
 Stress-Chlorophyll: None Low High General Spotty
 Weed Control: Good OK Poor Spotty Dense Spots
 Grasses Broadleaves Perennials

ACTION:
 None Required
 Watch
 Yes, see comments

Comments:
6' V16 Range
growth/development normal

- | | |
|--|--|
| <input type="checkbox"/> Annual Grasses AG | <input type="checkbox"/> Pigweed RRP |
| <input type="checkbox"/> Foxtail F | <input type="checkbox"/> Horsenettle HN |
| <input type="checkbox"/> Panicum -Fall FP | <input type="checkbox"/> Bindweed -Field FBW |
| <input type="checkbox"/> Quack grass QG | <input type="checkbox"/> Bindweed -Hedge HBW |
| <input type="checkbox"/> Wirestem Muhly WM | <input type="checkbox"/> Smartweed -Penn. PSM |
| <input type="checkbox"/> Field Sandbur FS | <input type="checkbox"/> Smart -Swamp SSM |
| <input type="checkbox"/> Crabgrass CG | <input type="checkbox"/> Dogbane -Hemp HDB |
| <input type="checkbox"/> Johnsongrass JG | <input type="checkbox"/> Lambsquarter LQU |
| <input type="checkbox"/> Shattercane SCA | <input type="checkbox"/> Ragweed CRAG |
| <input type="checkbox"/> Nutsedge NS | <input type="checkbox"/> Ragweed -Giant GRAG |
| <input type="checkbox"/> Winter Annuals WA | <input type="checkbox"/> Dock -Curly CD |
| <input type="checkbox"/> Chickweed CW | <input type="checkbox"/> Nightshade -Black BNS |
| <input type="checkbox"/> Biannuals WB | <input type="checkbox"/> Jimsonweed JW |
| <input type="checkbox"/> Cover Crop CC | <input type="checkbox"/> Canada Thistle CTH |
| <input type="checkbox"/> Velvetleaf VL | <input type="checkbox"/> Yellow Rocket YR |
| <input type="checkbox"/> Cocklebur CBUR | <input type="checkbox"/> Perennials P |
| <input type="checkbox"/> Milkweed CM | <input type="checkbox"/> Pokeweed PW |



- Germination No 1/4" Root Spike PE
 Emergence Breaking VC / V1
 Nutrient Deficiency Spots General _____
 Soil Compaction: Soil Surface:
 Spots General Hard Crusted
 Standing Water Small Spots Large Spots
 Herbicide damage Emergence stress
 Physiological Disorder in Corn Yellowish whorl
 Buggywip Stalk bending Twisted whorl
 Doubles _____ %
 Density _____ Variance _____
 Growth ok Variance ok
 Plant spacing _____ Variance _____
 Emergence _____ Variance _____
 Soil Temperature _____ 2"

- | | | |
|---------------------------------------|---------------------------------------|---|
| <input type="checkbox"/> Cutworms | <input type="checkbox"/> White Grubs | <input type="checkbox"/> Seed Corn Maggots |
| <input type="checkbox"/> Armyworms | <input type="checkbox"/> Flea Beetles | <input type="checkbox"/> Foliar Disease-Rust |
| <input type="checkbox"/> Stalkborers | <input type="checkbox"/> Aphids | <input type="checkbox"/> Foliar Disease-Fungi |
| <input type="checkbox"/> Wireworms | <input type="checkbox"/> Slugs | <input type="checkbox"/> Corn Borer-% _____ |
| <input type="checkbox"/> Spider mites | <input type="checkbox"/> Leafhoppers | <input type="checkbox"/> Stunted plants |

- | | |
|--------------------------------------|------------------------------------|
| <input type="checkbox"/> Root Damage | <input type="checkbox"/> Plants |
| <input type="checkbox"/> Insects | <input type="checkbox"/> Purplish |
| <input type="checkbox"/> Diseases | <input type="checkbox"/> Yellowish |
| <input type="checkbox"/> Nematodes | <input type="checkbox"/> Stunting |

BioEnt - Early Season Survey

Gary Manley 269-273-7070 or 269-816-1080


Seed Corn Corn Soybeans Wheat _____
 Field Name/Number G4R5 Growth Stage Flower
 General Appearance good Size ok Variance ok Leaf Color ok Variance ok
 Plant Population ok Soil Moisture 0-12 65/70 12+ 75 %AWC

Vigor: Good OK Poor General Spotty
 Stress: Heat Moisture Nitrogen General Spotty
 Stress-Chlorophyll: None Low High General Spotty
 Weed Control: Good OK Poor Spotty Dense Spots
 Grasses Broadleaves Perennials

ACTION:
 None Required
 Watch
 Yes, see comments

Comments:
20-24"
Flower stage
Canopy 80% Range
No insect or disease
Level of concern -

low level of smart grass
 Annual Grasses AG Pigweed RRP
 Foxtail F Horsenettle HN
 Panicum -Fall FP Bindweed -Field FBW
 Quack grass QG Bindweed -Hedge HBW
 Wirestem Muhly WM Smartweed -Penn. PSM
 Field Sandbur FS Smart -Swamp SSM
 Crabgrass CG Dogbane -Hemp HDB
 Johnsongrass JG Lambsquarter LQU
 Shattercane SCA Ragweed CRAG
 Nutsedge NS Ragweed -Giant GRAG
 Winter Annuals WA Dock -Curly CD
 Chickweed CW Nightshade -Black BNS
 Biannuals WB Jimsonweed JW
 Cover Crop CC Canada Thistle CTH
 Velvetleaf VL Yellow Rocket YR
 Cocklebur CBUR Perennials P
 Milkweed CM Pokeweed PW



Germination No 1/4" Root Spike PE
 Emergence Breaking VC / V1
 Nutrient Deficiency Spots General _____
 Soil Compaction: Soil Surface:
 Spots General Hard Crusted
 Standing Water Small Spots Large Spots
 Herbicide damage Emergence stress
 Physiological Disorder in Corn Yellowish whorl
 Buggywip Stalk bending Twisted whorl
 Doubles _____ %
 Density _____ Variance _____
 Growth ok Variance ok
 Plant spacing _____ Variance _____
 Emergence _____ Variance _____
 Soil Temperature _____ 2"

Cutworms White Grubs Seed Corn Maggots
 Armyworms Flea Beetles Foliar Disease-Rust
 Stalkborers Aphids Foliar Disease-Fungi
 Wireworms Slugs Corn Borer-% _____
 Spider mites Leafhoppers Stunted plants

Root Damage Plants
 Insects Purplish
 Diseases Yellowish
 Nematodes Stunting