

BioEnt - Early Season Survey Gary Manley 269-273-7070 or 269-816-1080


Seed Corn Corn Soybeans Wheat Green Beans
 Date 6/14/2020
 Field Name/Number TIR1 Grower MSY Growth Stage V4/5T
 General Appearance good Size ok Variance low Leaf Color low Variance low
 Plant Population _____ Soil Moisture 0-12 70 12-24 75/80 24+ 80+ %AWC

Vigor: Good OK Poor General Spotty
Stress: Heat Moisture Nitrogen General Spotty
Stress-Chlorophyll: None Low High General Spotty
Weed Control: Good OK Poor Spotty Dense Spots
 Grasses Broadleaves Perennials

ACTION:
 None Required
 Watch
 Yes, see comments

Comments:
V4/5 5' Range
28 31 28 29 29 28
28,833/Acre
good weed control
planted May 13th

- | | |
|--|--|
| <input type="checkbox"/> Annual Grasses AG | <input type="checkbox"/> Pigweed RRP |
| <input type="checkbox"/> Foxtail F | <input type="checkbox"/> Horsenettle HN |
| <input type="checkbox"/> Panicum -Fall FP | <input type="checkbox"/> Bindweed -Field FBW |
| <input type="checkbox"/> Quack grass QG | <input type="checkbox"/> Bindweed -Hedge HBW |
| <input type="checkbox"/> Wirestem Muhly WM | <input type="checkbox"/> Smartweed -Penn. PSM |
| <input type="checkbox"/> Marestail MT | <input type="checkbox"/> Smart -Swamp SSM |
| <input type="checkbox"/> Crabgrass CG | <input type="checkbox"/> Dogbane -Hemp HDB |
| <input type="checkbox"/> Johnsongrass JG | <input type="checkbox"/> Lambsquarter LQU |
| <input type="checkbox"/> Shattercane SCA | <input type="checkbox"/> Ragweed CRAG |
| <input type="checkbox"/> Nutsedge NS | <input type="checkbox"/> Ragweed -Giant GRAG |
| <input type="checkbox"/> Winter Annuals WA | <input type="checkbox"/> Dock -Curly CD |
| <input type="checkbox"/> Chickweed CW | <input type="checkbox"/> Nightshade -Black BNS |
| <input type="checkbox"/> Biannuals WB | <input type="checkbox"/> Jimsonweed JW |
| <input type="checkbox"/> Cover Crop CC | <input type="checkbox"/> Canada Thistle CTH |
| <input type="checkbox"/> Velvetleaf VL | <input type="checkbox"/> Yellow Rocket YR |
| <input type="checkbox"/> Cocklebur CBUR | <input type="checkbox"/> Perennials P |
| <input type="checkbox"/> Milkweed CM | <input type="checkbox"/> Pokeweed PW |



- | | | | |
|--|---|--------------------------------------|-----------------------------------|
| <input type="checkbox"/> Germination | <input type="checkbox"/> No | <input type="checkbox"/> 1/4" Root | <input type="checkbox"/> Spike PE |
| <input type="checkbox"/> Emergence | <input type="checkbox"/> Breaking | <input type="checkbox"/> VC / V1 | |
| <input type="checkbox"/> Nutrient Deficiency | <input type="checkbox"/> Spots | <input type="checkbox"/> General | |
| <input type="checkbox"/> Soil Compaction: | <input type="checkbox"/> Soil Surface: | | |
| <input type="checkbox"/> Standing Water | <input type="checkbox"/> Small Spots | <input type="checkbox"/> Large Spots | |
| <input type="checkbox"/> Herbicide damage | <input type="checkbox"/> Emergence stress | | |
| <input type="checkbox"/> Physiological Disorder in Corn | <input type="checkbox"/> Yellowish whorl | | |
| <input type="checkbox"/> Doubles <u>ok</u> % | <input type="checkbox"/> Buggywip | | |
| <input type="checkbox"/> Density <u>ok</u> Variance <u>low</u> | <input type="checkbox"/> Stalk bending | | |
| <input type="checkbox"/> Growth <u>ok</u> Variance <u>low</u> | <input type="checkbox"/> Twisted whorl | | |
| <input type="checkbox"/> Plant spacing <u>ok</u> Variance <u>low</u> | | | |
| <input type="checkbox"/> Emergence <u>ok</u> Variance <u>low</u> | | | |
| <input type="checkbox"/> Soil Temperature _____ 2" | | | |

- | | | |
|--|---|---|
| <input type="checkbox"/> Cutworms CW | <input type="checkbox"/> White Grubs WG | <input type="checkbox"/> Seed Corn Maggots |
| <input type="checkbox"/> Armyworms AW | <input type="checkbox"/> Flea Beetles FB | <input type="checkbox"/> Foliar Disease-Rust |
| <input type="checkbox"/> Stalkborers SB | <input type="checkbox"/> Aphids A <u>ok</u> | <input type="checkbox"/> Foliar Disease-Fungi |
| <input type="checkbox"/> Wireworms WW | <input type="checkbox"/> Slugs S | <input type="checkbox"/> Corn Borer-% _____ |
| <input type="checkbox"/> Spider Mites SM | <input type="checkbox"/> Leafhoppers LH | <input type="checkbox"/> Stunted plants |

- | | |
|---|------------------------------------|
| <input type="checkbox"/> Root Damage | <input type="checkbox"/> Plants |
| <input checked="" type="checkbox"/> Insects | <input type="checkbox"/> Purplish |
| <input type="checkbox"/> Diseases | <input type="checkbox"/> Yellowish |
| <input type="checkbox"/> Nematodes | <input type="checkbox"/> Stunting |

BioEnt - Early Season Survey Gary Manley 269-273-7070 or 269-816-1080

Seed Corn Corn Soybeans Wheat Green Beans

Date 6/14/2020

Field Name/Number T2R1 Grower MSU Growth Stage V4/5

General Appearance good Size slow Variance some Leaf Color good Variance good


Plant Population _____ Soil Moisture 0-12 70 12-24 75/80 24+ 80+ %AWC

Vigor: Good OK Poor General Spotty
 Stress: Heat Moisture Nitrogen General Spotty
 Stress-Chlorophyll: None Low High General Spotty
 Weed Control: Good OK Poor Spotty Dense Spots
 Grasses Broadleaves Perennials

ACTION:
 None Required
 Watch
 Yes, see comments

Comments:
V4/5 5" Range
28 26 30 31 28 29
28, 666 ACRES
Planted May 12th

- Annual Grasses AG
- Foxtail F
- Panicum -Fall FP
- Quack grass QG
- Wirestem Muhly WM
- Marestail MT
- Crabgrass CG
- Johnsongrass JG
- Shatercane SCA
- Nutsedge NS
- Winter Annuals WA
- Chickweed CW
- Biannuals WB
- Cover Crop CC
- Velvetleaf VL
- Cocklebur CBUR
- Milkweed CM
- Pigweed RRP
- Horsenettle HN
- Bindweed -Field FBW
- Bindweed -Hedge HBW
- Smartweed -Penn. PSM
- Smart -Swamp SSM
- Dogbane -Hemp HDB
- Lambsquarter LQU
- Ragweed CRAG
- Ragweed -Giant GRAG
- Dock -Curly CD
- Nightshade -Black BNS
- Jimsonweed JW
- Canada Thistle CTH
- Yellow Rocket YR
- Perennials P
- Pokeweed PW



Germination No 1/4" Root Spike PE
 Emergence Breaking VC / V1
 Nutrient Deficiency Spots General _____
 Soil Compaction: Soil Surface:
 Spots General Hard Crusted
 Standing Water Small Spots Large Spots
 Herbicide damage Emergence stress
 Physiological Disorder in Corn Yellowish whorl
 Buggywip Stalk bending Twisted whorl
 Doubles ok %
 Density ok Variance gone - low
 Growth ok Variance Some - low
 Plant spacing ok Variance Some - low
 Emergence ok Variance _____
 Soil Temperature _____ 2"

Cutworms CW White Grubs WG Seed Corn Maggots
 Armyworms AW Flea Beetles FB Foliar Disease-Rust
 Stalkborers SB Aphids A Foliar Disease-Fungi
 Wireworms WW Slugs S Corn Borer-% _____
 Spider Mites SM Leafhoppers LH Stunted plants

Root Damage Plants
 Insects Purplish
 Diseases Yellowish
 Nematodes Stunting

BioEnt – Early Season Survey

Gary Manley 269-273-7070 or 269-816-1080

Seed Corn Corn Soybeans Wheat Green Beans

Date 6/14/2020

Field Name/Number TZR Grower MSU Growth Stage _____

General Appearance good Size good Variance low Leaf Color good Variance none

Plant Population _____ Soil Moisture 0-12 70 12-24 75/80 24+ 80+ %AWC

Vigor: Good OK Poor General Spotty
 Stress: Heat Moisture Nitrogen General Spotty
 Stress-Chlorophyll: None Low High General Spotty
 Weed Control: Good OK Poor Spotty Dense Spots
 Grasses Broadleaves Perennials

ACTION:

None Required
 Watch
 Yes, see comments

Comments:


V1/V2

Planted May 26

Emergence looks good.

- | | |
|--|--|
| <input type="checkbox"/> Annual Grasses AG | <input type="checkbox"/> Pigweed RRP |
| <input type="checkbox"/> Foxtail F | <input type="checkbox"/> Horsenettle HN |
| <input type="checkbox"/> Panicum -Fall FP | <input type="checkbox"/> Bindweed -Field FBW |
| <input type="checkbox"/> Quack grass QG | <input type="checkbox"/> Bindweed -Hedge HBW |
| <input type="checkbox"/> Wirestem Muhly WM | <input type="checkbox"/> Smartweed -Penn. PSM |
| <input type="checkbox"/> Marestail MT | <input type="checkbox"/> Smart -Swamp SSM |
| <input type="checkbox"/> Crabgrass CG | <input type="checkbox"/> Dogbane -Hemp HDB |
| <input type="checkbox"/> Johnsongrass JG | <input type="checkbox"/> Lambsquarter LQU |
| <input type="checkbox"/> Shattercane SCA | <input type="checkbox"/> Ragweed CRAG |
| <input type="checkbox"/> Nutsedge NS | <input type="checkbox"/> Ragweed -Giant GRAG |
| <input type="checkbox"/> Winter Annuals WA | <input type="checkbox"/> Dock -Curly CD |
| <input type="checkbox"/> Chickweed CW | <input type="checkbox"/> Nightshade -Black BNS |
| <input type="checkbox"/> Biannuals WB | <input type="checkbox"/> Jimsonweed JW |
| <input type="checkbox"/> Cover Crop CC | <input type="checkbox"/> Canada Thistle CTH |
| <input type="checkbox"/> Velvetleaf VL | <input type="checkbox"/> Yellow Rocket YR |
| <input type="checkbox"/> Cocklebur CBUR | <input type="checkbox"/> Perennials P |
| <input type="checkbox"/> Milkweed CM | <input type="checkbox"/> Pokeweed PW |

- Germination No 1/4" Root Spike PE
 Emergence Breaking VC/V1
 Nutrient Deficiency Spots General _____
 Soil Compaction: Soil Surface:
 Spots General Hard Crusted
 Standing Water Small Spots Large Spots
 Herbicide damage Emergence stress
 Physiological Disorder in Corn Yellowish whorl
 Buggywip Stalk bending Twisted whorl
 Doubles ok %
 Density ok Variance _____
 Growth ok Variance _____
 Plant spacing ok Variance low
 Emergence ok Variance _____
 Soil Temperature _____ 2"



- | | | |
|--|--|---|
| <input type="checkbox"/> Cutworms CW | <input type="checkbox"/> White Grubs WG | <input type="checkbox"/> Seed Corn Maggots |
| <input type="checkbox"/> Armyworms AW | <input type="checkbox"/> Flea Beetles FB | <input type="checkbox"/> Foliar Disease-Rust <u>ok</u> |
| <input type="checkbox"/> Stalkborers SB | <input type="checkbox"/> Aphids A | <input type="checkbox"/> Foliar Disease-Fungi <u>ok</u> |
| <input type="checkbox"/> Wireworms WW | <input type="checkbox"/> Slugs S | <input type="checkbox"/> Corn Borer-% _____ |
| <input type="checkbox"/> Spider Mites SM | <input type="checkbox"/> Leafhoppers LH | <input type="checkbox"/> Stunted plants |

- | | |
|--|------------------------------------|
| <input type="checkbox"/> Root Damage <u>ok</u> | <input type="checkbox"/> Plants |
| <input type="checkbox"/> Insects <u>ok</u> | <input type="checkbox"/> Purplish |
| <input type="checkbox"/> Diseases <u>ok</u> | <input type="checkbox"/> Yellowish |
| <input type="checkbox"/> Nematodes | <input type="checkbox"/> Stunting |

BioEnt - Early Season Survey Gary Manley 269-273-7070 or 269-816-1080

Seed Corn Corn Soybeans Wheat Green Beans

Date 6/14/2020

Field Name/Number T4R1 Grower WGLM Growth Stage VE

General Appearance _____ Size _____ Variance _____ Leaf Color _____ Variance _____

Plant Population 7E Soil Moisture 0-12 70 12-24 75/80 24+ _____ %AWC

Vigor: Good OK Poor General Spotty
 Stress: Heat Moisture Nitrogen General Spotty
 Stress-Chlorophyll: None Low High General Spotty
 Weed Control: Good OK Poor Spotty Dense Spots
 Grasses Broadleaves Perennials


ACTION:
 None Required PE
 Watch
 Yes, see comments

Comments:

PE-

Planted 6-1-2020
Conditions good for emergence

- | | |
|--|--|
| <input type="checkbox"/> Annual Grasses AG | <input type="checkbox"/> Pigweed RRP |
| <input type="checkbox"/> Foxtail F | <input type="checkbox"/> Horsenettle HN |
| <input type="checkbox"/> Panicum -Fall FP | <input type="checkbox"/> Bindweed -Field FBW |
| <input type="checkbox"/> Quack grass QG | <input type="checkbox"/> Bindweed -Hedge HBW |
| <input type="checkbox"/> Wirestem Muhly WM | <input type="checkbox"/> Smartweed -Penn. PSM |
| <input type="checkbox"/> Maretail MT | <input type="checkbox"/> Smart -Swamp SSM |
| <input type="checkbox"/> Crabgrass CG | <input type="checkbox"/> Dogbane -Hemp HDB |
| <input type="checkbox"/> Johnsongrass JG | <input type="checkbox"/> Lambsquarter LQU |
| <input type="checkbox"/> Shattercane SCA | <input type="checkbox"/> Ragweed CRAG |
| <input type="checkbox"/> Nutsedge NS | <input type="checkbox"/> Ragweed -Giant GRAG |
| <input type="checkbox"/> Winter Annuals WA | <input type="checkbox"/> Dock -Curly CD |
| <input type="checkbox"/> Chickweed CW | <input type="checkbox"/> Nightshade -Black BNS |
| <input type="checkbox"/> Biannuals WB | <input type="checkbox"/> Jimsonweed JW |
| <input type="checkbox"/> Cover Crop CC | <input type="checkbox"/> Canada Thistle CTH |
| <input type="checkbox"/> Velvetleaf VL | <input type="checkbox"/> Yellow Rocket YR |
| <input type="checkbox"/> Cocklebur CBUR | <input type="checkbox"/> Perennials P |
| <input type="checkbox"/> Milkweed CM | <input type="checkbox"/> Pokeweed PW |



- | | | | |
|---|--|--------------------------------------|-----------------------------------|
| <input type="checkbox"/> Germination | <input type="checkbox"/> No | <input type="checkbox"/> 1/4" Root | <input type="checkbox"/> Spike PE |
| <input type="checkbox"/> Emergence | <input type="checkbox"/> Breaking | <input type="checkbox"/> VC / V1 | |
| <input type="checkbox"/> Nutrient Deficiency | <input type="checkbox"/> Spots | <input type="checkbox"/> General | |
| <input type="checkbox"/> Soil Compaction: | <input type="checkbox"/> Soil Surface: | | |
| <input type="checkbox"/> Spots <input type="checkbox"/> General | <input type="checkbox"/> Hard <input type="checkbox"/> Crusted | | |
| <input type="checkbox"/> Standing Water | <input type="checkbox"/> Small Spots | <input type="checkbox"/> Large Spots | |
| <input type="checkbox"/> Herbicide damage | <input type="checkbox"/> Emergence stress | | |
| <input type="checkbox"/> Physiological Disorder in Corn | <input type="checkbox"/> Yellowish whorl | | |
| <input type="checkbox"/> Buggywip <input type="checkbox"/> Stalk bending <input type="checkbox"/> Twisted whorl | | | |
| <input type="checkbox"/> Doubles _____% | | | |
| <input type="checkbox"/> Density _____ | Variance _____ | | |
| <input type="checkbox"/> Growth _____ | Variance _____ | | |
| <input type="checkbox"/> Plant spacing _____ | Variance _____ | | |
| <input type="checkbox"/> Emergence _____ | Variance _____ | | |
| <input type="checkbox"/> Soil Temperature _____ | 2" | | |

- | | | |
|--|--|---|
| <input type="checkbox"/> Cutworms CW | <input type="checkbox"/> White Grubs WG | <input type="checkbox"/> Seed Corn Maggots |
| <input type="checkbox"/> Armyworms AW | <input type="checkbox"/> Flea Beetles FB | <input type="checkbox"/> Foliar Disease-Rust |
| <input type="checkbox"/> Stalkborers SB | <input type="checkbox"/> Aphids A | <input type="checkbox"/> Foliar Disease-Fungi |
| <input type="checkbox"/> Wireworms WW | <input type="checkbox"/> Slugs S | <input type="checkbox"/> Corn Borer-% _____ |
| <input type="checkbox"/> Spider Mites SM | <input type="checkbox"/> Leafhoppers LH | <input type="checkbox"/> Stunted plants |

- | | |
|--------------------------------------|------------------------------------|
| <input type="checkbox"/> Root Damage | <input type="checkbox"/> Plants |
| <input type="checkbox"/> Insects | <input type="checkbox"/> Purplish |
| <input type="checkbox"/> Diseases | <input type="checkbox"/> Yellowish |
| <input type="checkbox"/> Nematodes | <input type="checkbox"/> Stunting |

BioEnt – Early Season Survey Gary Manley 269-273-7070 or 269-816-1080


Seed Corn Corn Soybeans Wheat Green Beans Date 6/4 2020
 Field Name/Number R2 Rap Grower msu - Irrigated Growth Stage V4/5
 General Appearance OK Size OK Variance OK Leaf Color green Variance OK
 Plant Population _____ Soil Moisture 0-12 70 12-24 75/80 24+ 80 %AWC _____

Vigor: Good OK Poor General Spotty
 Stress: Heat Moisture Nitrogen General Spotty
 Stress-Chlorophyll: None Low High General Spotty
 Weed Control: Good OK Poor Spotty Dense Spots
 Grasses Broadleaves Perennials

ACTION:
 None Required
 Watch
 Yes, see comments

Comments:
V4/5 5" Range
29 28 29 26 31 29
28, bld / ACTB
Planted May 13

- | | |
|--|--|
| <input type="checkbox"/> Annual Grasses AG | <input type="checkbox"/> Pigweed RRP |
| <input type="checkbox"/> Foxtail F | <input type="checkbox"/> Horsenettle HN |
| <input type="checkbox"/> Panicum -Fall FP | <input type="checkbox"/> Bindweed -Field FBW |
| <input type="checkbox"/> Quack grass QG | <input type="checkbox"/> Bindweed -Hedge HBW |
| <input type="checkbox"/> Wirestem Muhly WM | <input type="checkbox"/> Smartweed -Penn. PSM |
| <input type="checkbox"/> Maretail MT | <input type="checkbox"/> Smart -Swamp SSM |
| <input type="checkbox"/> Crabgrass CG | <input type="checkbox"/> Dogbane -Hemp HDB |
| <input type="checkbox"/> Johnsongrass JG | <input type="checkbox"/> Lambsquarter LQU |
| <input type="checkbox"/> Shattercane SCA | <input type="checkbox"/> Ragweed CRAG |
| <input type="checkbox"/> Nutsedge NS | <input type="checkbox"/> Ragweed -Giant GRAG |
| <input type="checkbox"/> Winter Annuals WA | <input type="checkbox"/> Dock -Curly CD |
| <input type="checkbox"/> Chickweed CW | <input type="checkbox"/> Nightshade -Black BNS |
| <input type="checkbox"/> Biannuals WB | <input type="checkbox"/> Jimsonweed JW |
| <input type="checkbox"/> Cover Crop CC | <input type="checkbox"/> Canada Thistle CTH |
| <input type="checkbox"/> Velvetleaf VL | <input type="checkbox"/> Yellow Rocket YR |
| <input type="checkbox"/> Cocklebur CBUR | <input type="checkbox"/> Perennials P |
| <input type="checkbox"/> Milkweed CM | <input type="checkbox"/> Pokeweed PW |



Germination No 1/4" Root Spike PE
 Emergence Breaking VC / V1
 Nutrient Deficiency Spots General _____
 Soil Compaction: Soil Surface:
 Spots General Hard Crusted
 Standing Water Small Spots Large Spots
 Herbicide damage Emergence stress
 Physiological Disorder in Corn Yellowish whorl
 Buggywip Stalk bending Twisted whorl
 Doubles OK %
 Density OK Variance some-low
 Growth OK Variance some-low
 Plant spacing OK Variance some-low
 Emergence OK Variance some-low
 Soil Temperature _____ 2" some-low

- | | | |
|--|--|---|
| <input type="checkbox"/> Cutworms CW | <input type="checkbox"/> White Grubs WG | <input type="checkbox"/> Seed Corn Maggots |
| <input type="checkbox"/> Armyworms AW | <input type="checkbox"/> Flea Beetles FB | <input type="checkbox"/> Foliar Disease-Rust |
| <input type="checkbox"/> Stalkborers SB | <input type="checkbox"/> Aphids A | <input type="checkbox"/> Foliar Disease-Fungi |
| <input type="checkbox"/> Wireworms WW | <input type="checkbox"/> Slugs S | <input type="checkbox"/> Corn Borer-% <u>OK</u> |
| <input type="checkbox"/> Spider Mites SM | <input type="checkbox"/> Leafhoppers LH | <input type="checkbox"/> Stunted plants <u>OK</u> |

Root Damage Plants
 Insects Purplish
 Diseases Yellowish
 Nematodes Stunting

BioEnt - Early Season Survey Gary Manley 269-273-7070 or 269-816-1080


Seed Corn Corn Soybeans Wheat Green Beans
 Field Name/Number 1/2 Rate Grower INGU non-Irrigated Date 6/4/2020
 General Appearance OK Size OK Variance OK Leaf Color good Variance OK
 Plant Population _____ Soil Moisture 0-12 70 12-24 75/80 24+ 80 %AWC

Vigor: Good OK Poor General Spotty
Stress: Heat Moisture Nitrogen General Spotty
Stress-Chlorophyll: None Low High General Spotty
Weed Control: Good OK Poor Spotty Dense Spots
 Grasses Broadleaves Perennials

ACTION:
 None Required
 Watch
 Yes, see comments

Comments:
29 30 29 27 28 29
28,666 acres
Planted May 13th
04/5 5" +/-

- | | |
|--|--|
| <input type="checkbox"/> Annual Grasses AG | <input type="checkbox"/> Pigweed RRP |
| <input type="checkbox"/> Foxtail F | <input type="checkbox"/> Horsenettle HN |
| <input type="checkbox"/> Panicum -Fall FP | <input type="checkbox"/> Bindweed -Field FBW |
| <input type="checkbox"/> Quack grass QG | <input type="checkbox"/> Bindweed -Hedge HBW |
| <input type="checkbox"/> Wirestem Muhly WM | <input type="checkbox"/> Smartweed -Penn. PSM |
| <input type="checkbox"/> Marestail MT | <input type="checkbox"/> Smart -Swamp SSM |
| <input type="checkbox"/> Crabgrass CG | <input type="checkbox"/> Dogbane -Hemp HDB |
| <input type="checkbox"/> Johnsongrass JG | <input type="checkbox"/> Lambsquarter LQU |
| <input type="checkbox"/> Shattercane SCA | <input type="checkbox"/> Ragweed CRAG |
| <input type="checkbox"/> Nutsedge NS | <input type="checkbox"/> Ragweed -Giant GRAG |
| <input type="checkbox"/> Winter Annuals WA | <input type="checkbox"/> Dock -Curly CD |
| <input type="checkbox"/> Chickweed CW | <input type="checkbox"/> Nightshade -Black BNS |
| <input type="checkbox"/> Biannuals WB | <input type="checkbox"/> Jimsonweed JW |
| <input type="checkbox"/> Cover Crop CC | <input type="checkbox"/> Canada Thistle CTH |
| <input type="checkbox"/> Velvetleaf VL | <input type="checkbox"/> Yellow Rocket YR |
| <input type="checkbox"/> Cocklebur CBUR | <input type="checkbox"/> Perennials P |
| <input type="checkbox"/> Milkweed CM | <input type="checkbox"/> Pokeweed PW |



Germination No 1/4" Root Spike PE
 Emergence Breaking VC / V1
 Nutrient Deficiency Spots General _____
 Soil Compaction: Soil Surface:
 Spots General Hard Crusted
 Standing Water Small Spots Large Spots
 Herbicide damage Emergence stress
 Physiological Disorder in Corn Yellowish whorl
 Buggywip Stalk bending Twisted whorl
 Doubles _____ %
 Density OK Variance Some - low
 Growth OK Variance Some - low
 Plant spacing OK Variance Some - low
 Emergence OK Variance Some - low
 Soil Temperature _____ 2" Some - low

- | | | |
|--|--|---|
| <input type="checkbox"/> Cutworms CW | <input type="checkbox"/> White Grubs WG | <input type="checkbox"/> Seed Corn Maggots |
| <input type="checkbox"/> Armyworms AW | <input type="checkbox"/> Flea Beetles FB | <input type="checkbox"/> Foliar Disease-Rust |
| <input type="checkbox"/> Stalkborers SB | <input type="checkbox"/> Aphids A | <input type="checkbox"/> Foliar Disease-Fungi |
| <input type="checkbox"/> Wireworms WW | <input type="checkbox"/> Slugs S | <input type="checkbox"/> Corn Borer-% <u>OK</u> |
| <input type="checkbox"/> Spider Mites SM | <input type="checkbox"/> Leafhoppers LH | <input type="checkbox"/> Stunted plants <u>OK</u> |

- | | |
|--|------------------------------------|
| <input type="checkbox"/> Root Damage <u>OK</u> | <input type="checkbox"/> Plants |
| <input type="checkbox"/> Insects <u>OK</u> | <input type="checkbox"/> Purplish |
| <input type="checkbox"/> Diseases <u>OK</u> | <input type="checkbox"/> Yellowish |
| <input type="checkbox"/> Nematodes | <input type="checkbox"/> Stunting |