

Index

- Acer rubrum*, 14
Acer saccharum, 14
Achillea millefolium, 168(table)
Acid hydrolysis, 106, 123, 127, 128
Acid neutralizing capacity (ANC), 284, 294
Acidobacteria, 141, 142–43, 143(figure),
149–50, 150(figure)
Acoustic observations, 360–77
 amphibians, 371
 birds, 360, 365–66, 367(table),
 368(figure)
 broader adoption of technology for,
 373–74
 interpretation of spatial and temporal
 change in, 371
 tape recorders used in, 364–66
 wireless and wired technology for,
 366–71
 See also Soundscapes
Actinobacteria, 142
Active soil inorganic phosphorus pool, 261
Afforestation, 113–15, 114(figure)
Agricultural Depression, 22
Agricultural ecology, emergence of, 83
Agricultural Fordism, 22
Agricultural inputs, global warming impact
 of, 319, 320–22
Agricultural intensification, 33,
 113, 312–13
Agricultural Production Simulator
 (APSIM), 253, 257
Agricultural Resource Management Survey,
 344–45
Agricultural periods and transitions in
 Michigan, 21–22
Agricultural trends
 in US productivity, 341–43
 in Michigan history, 379–80
Agronomic Optimum N Rate (AONR),
 219(figure), 234
Alfalfa, 3, 35, 279, 286
 crop simulation models on, 254
 early cultivation of, 379
 greenhouse gases and, 322
 nitrogen and, 214
 percentage of cropland used for, 22
 pest management and, 39, 190, 195, 197
Alfalfa system (MCSE), 5, 35
 crop yields in, 385(table)
 description of, 10(table), 12
 economic valuation and, 59(table),
 62–63, 63(table), 64(table)
 energy balances in, 385(table)
 experimental layout for, 4(figure)

- Alfalfa system (MCSE) (*cont.*)
 global warming impact and, 315–16,
 315(table), 317(table), 325(table), 328,
 329(figure)
 greenhouse gases and, 320, 321(figure),
 324, 325(table), 327
 nitrate leaching in, 227, 227(figure), 288,
 289(figure), 399–400
 nitrogen in, 216(table), 217, 220(figure),
 222, 223(figure), 224(figure), 226
 pest management in, 197(figure)
 replication of, 14
 soil carbon (organic matter) in, 109, 387
 soundscape recording in, 364, 366
 water quality in, 288
See also Crop yields; Main Cropping
 System Experiment (MCSE)
- Alfisols, 20, 283
- Allegheny County, 56, 277
- Alliaria petiolata*, 14
- Aggregate (soil), 115, 116(figure)
- Amaranthus retroflexus*, 165(figure),
 166(figure), 168(table)
- Ambrosia artemisiifolia*, 168(table), 395
- American crow, 363
- Ammonia
 anhydrous, 217, 235
 oxidizers, 224–226
- Ammonium, 224(figure), 225(figure),
 281–82, 320
 nitrate, 217, 218(table)
- Amphibian species, acoustic observations
 of, 371
- Amphibole, 20, 283
- Anatis labiculata*, 195, 196(table)
- Annual cropping systems, 5, 35
 description of, 10–12, 10(table)
 economic valuation and, 59(table)
 experimental layout for, 4(figure)
 global warming impact and, 41(figure),
 315(table), 317(table), 325(table)
 greenhouse gases and, 325(table)
 nitrate leaching in, 289(figure)
 nitrogen in, 216(table), 223(table)
 replication of, 14
See also Biologically Based
 system; Conventional system;
 Corn-soybean-wheat rotations; Main
 Cropping System Experiment; No-till
 system; Reduced Input system
- Anthrophony/anthropogenic sounds, 360,
 361, 362(figure), 363–64, 371
- AONR. *See* Agronomic Optimum N Rate
- Aphis glycines*. *See* Soybean aphid
- Apocynum cannabinum*, 168(table)
- Apple maggot, 190
- APSIM. *See* Agricultural Production
 Simulator
- Aquifers, 20, 81, 97, 290–91
- Arabidopsis thaliana*, 169
- Archaea, 136, 140
- Arrhenatherum elatius*, 13
- Arsenic, 293
- Arthropods
 carabids in (*see* Carabids)
 coccinellids in (*see* Coccinellids)
 pest suppression, xx
 quantification of insects and processes in,
 190–92
 soybean aphid and, 199–206
- Asclepias syriaca*, 168(table)
- Asian lady beetle. *See* *Harmonia axyridis*
- Asian Soybean Rust, 82
- Auction (experimental), 346, 350–51
- Augusta Creek, 280, 294, 295–97,
 296(figure), 301(table)
- Augusta Creek watershed, 20,
 281(figure), 291
- Automated Acoustic Observatory System
 (AAOS), 366–71, 374
- Automated acoustic recording system,
 364–71, 369(figure)
- Avena sativa*. *See* oats.
- Avian species, acoustic observations of,
 360, 365–66, 367(table), 368(figure)
- Bacillus thuringiensis* (Bt), 82, 113, 344
- Bacteria
 Acidobacteria, 141, 142–43, 143(figure),
 149–50, 150(figure)
 Actinobacteria, 142
 nitrous oxide production and, 145–47
 Proteobacteria, 141, 142
 soil organic matter and, 125
- Baltimore oriole, 367(table)
- Barrier to technology adoption,
 344, 345–50
- Barry County, 57, 277, 278
- BCSE. *See* Bioenergy Cropping System
 Experiment

- Benefit-cost, 66–67
- Bicarbonate, 291, 316
- Biocontrol, 38–39, 204–05, 205(figure)
value of, 59–60
- Biodiesel, 327, 328
- Biodiversity Gradient Experiment, 383
description of, 17
pest management and, 201
plant community dynamics and, 161,
161(table), 163, 164–65, 167(figure),
176–77, 176(figure)
- Bioeconomic model, 60–61
- Bioenergy Cropping System Experiment
(BCSE), 16(figure), 18
- Biofuel crops, 18, 42, 207, 312–13
global warming impact of,
316–18, 327–32
land-use conversion for, 330–33
- Biogeochemical fluxes, 256, 264–69
- Biologically Based system (MCSE), 16, 17,
35, 352, 383, 398, 399
crop yields in, 36, 36(figure), 37–38,
318(table), 384, 385, 385(table),
386, 393
description of, 10(table), 12, 381
economic valuation and, 59(table),
62–64, 63(table), 64(table), 65
energy balances in, 318(table), 385(table)
energy efficiency in, 387, 388
global warming impact and, 315,
315(table), 317(table), 325(table)
greenhouse gases and, 42–43, 322, 324,
325(table), 326
nitrate leaching in, 40, 227, 227(figure),
288, 289(figure)
nitrogen in, 214, 216(table), 217,
218(table), 220, 220(figure), 222,
223(table), 224, 224(figure), 232,
233(table), 235
pest management in, 193, 200, 389–90
plant community dynamics in, 163–64,
164(table), 165(figure), 166(figure),
169, 175
soil carbon in, 386
soil fertility in, 43, 44–45
soil microbial diversity in, 138
soil organic matter in, 109, 110(table),
111, 112(table), 113, 115
trade-offs in, 390(table), 391, 396
water quality in, 40, 288, 389
See also Crop yields; Main Cropping
System Experiment (MCSE)
- Biological nitrogen fixation (BNF), 219–20,
220(table), 232, 235
- Biophony/biological sounds, 360, 361,
362(figure), 363–64
- Biophony Grid Portal, 373
- Bird species. *See* Acoustic
observations; birds
- Bison (*Bison bison*), 79
- Blackberry, 13
- Black cherry. *See* *Prunus serotina*
- BNF. *See* Biological nitrogen fixation
- Bottom-up effects, 200–201
- Brachiacantha ursina*, 196(table), 198
- Braconidae, 200
- Brome grass (*Bromus inermis*), 13, 330–32
- Brown thrasher, 367(table)
- Bt. *See* *Bacillus thuringiensis*
- Buckthorn. *See* *Rhamnus cathartica*
- Budgets (enterprise), 62–63
- Bundled ecosystem services, 48, 67, 70
- Burkholderia*, 138
- Burning. *See* Fire/burning
- Bush-fallow agriculture, 380, 381
- Calcite, 20, 283, 299–300, 302
- Calcium, 391
soil organic matter dynamics and, 105,
106, 115, 127
water quality and, 284, 290, 291, 299,
299(figure), 302
- Calcium carbonate, 105, 278, 284, 294
See also Lime
- Canada goldenrod. *See* *Solidago canadensis*
- Cap and trade, 352
- Carabidae, 191, 192
- Carabids, 206–7
arrival of key species, 199(figure)
response to habitat, 192
weed seed predation and, 191–94, 390
- Carbon
dissolved organic, 282(table), 301(table)
inorganic, 105
organic (*see* Soil carbon; Soil organic
carbon)
Permanganate Oxidizable, 224
- Carbonate minerals, 20, 283–84, 288–89,
291, 299, 302
- Carbon credits, 48, 64

- Carbon cycle, 33
 soil microbial diversity and, 135–36,
 147–48, 153
 soil organic matter and, 105–6
- Carbon dating, 105, 106, 119
- Carbon debt, 42, 330
- Carbon dioxide, 104, 108, 117, 119,
 120(table), 124, 312, 388, 401
 crop simulation models on, 255
 effects of management on, 113
 global warming impact of, 314, 315,
 316, 330–32
 major agricultural sources of, 310
 soil microbial respiration and, 147–48
 water quality and, 288, 290, 294
- Carbon dioxide capture, 319, 326–27
- Carbon dioxide equivalents
 agricultural inputs and, 320–21,
 321(figure)
 cropping systems and, 41–43
- Carbon dioxide fluxes, 147–48, 330–32
- Carbon dioxide offset credits, 327
- Carbonic acid, 288, 290, 316, 320
- Carbon mineralization, 113, 125, 126(table)
- Carbon:nitrogen ratio, 114, 114(table), 117,
 119, 235, 256
- Carbon sequestration. *See* Soil carbon
 sequestration
- Carolina horsenettle, 395
- Carson, Rachel, 83
- Carya glabra*, 14
- Cass County, 113, 114(table)
- Cedar Creek Long-Term Ecological
 Research (LTER) site, 144, 173
- Celastrus orbiculatus*, 14
- Cellulosic biofuel cropping systems. *See*
 Biofuel crops
- Cellulosic Biofuel Diversity Experiment, 18
- CENTURY model, 119, 147, 148(figure),
 256, 257, 261, 269
- CERES model, 257, 259, 260
- Chenopodium album*, 165(figure), 166(figure),
 168(table), 169, 193, 193(figure), 395
- Chicago, Illinois, 79, 80, 81
- Chilocorus stigma*, 195, 196(table), 197–98
- Chisel plowing, 11, 46, 47, 65, 69, 109–10
- Chloride, 293
- Chrysoperla carnea*, 190
- Chrysopidae, 190
- Claytonia virginica*, 39, 196
- Clean Air Act, 353
- Climate
 crop yields and, 83–94
 at KBS, 18–20, 35, 278
 in North Central Region, 77–78, 83–94
See also Temperature; Weather
- Climate change, 2–3, 19
 biofuel production and mitigation of,
 327–32
 crop simulation models on, 254–55
 economic valuation and, 47–48
 implications of, 94–98
 plant community dynamics and, 178–80
See also Global warming impact
- Clone libraries, 140, 143
- Clover cover crops, 125–26, 128, 345
 crimson clover, 384, 393
 red clover (*see* Red clover cover crops)
See also Cover crops
- Coccinella novemnotata*, 195, 196(table)
- Coccinella septempunctata*, 190, 192,
 195, 196, 196(table), 197(figure),
 198, 198(figure), 199(figure), 202,
 203(figure), 204
- Coccinella trifasciata*, 197(figure)
- Coccinella trifasciata perplexa*, 196,
 196(table)
- Coccinellidae, 38, 190
- Coccinellids, 15, 38–39, 38(figure), 192,
 194–99, 190, 207
 arrival of key species, 199(figure)
 characterizing the community, 195–96
 documenting invasive species, 198–99
 observed in KBS landscape, 196(table)
 role of surrounding landscape for, 196–98
 soybean aphids and, 200–201, 202–6
- Coleomegilla maculata*, 196, 196(table),
 197, 197(figure), 199(figure), 202–4,
 203(figure), 207
- Coleomegilla septempunctata*, 38–39
- Coleoptera, 38, 190, 191
- Compost, 38, 381, 384
- Coniferous Forest system (MCSE), 5,
 5(figure), 35
 description of, 10(table), 13
 nitrogen in, 223(table), 224(figure)
 replication of, 14
 soundscape recording in, 364, 366
See also Main Cropping System
 Experiment (MCSE)

- Conservation agriculture, 397–98
- Conservation tillage. *See* Tillage; conservation,
- Conservation Reserve Enhancement Program (CREP), 69, 342
- Conservation Reserve Program (CRP), 113, 327, 330, 331(figure), 342, 350
- Conservation Stewardship Program, 69, 352
- Consumers (of ecosystem services), 47–48, 67–70
- Contingent valuation, 65, 72
- Conventional system (MCSE), 12, 16, 35, 265, 349, 383, 398, 399
- description of, 10–11, 10(table), 381
- economic valuation and, 59(table), 63, 63(table), 64(table)
- energy balances in, 318, 318(table), 385(table)
- energy efficiency in, 387
- global warming impact and, 315(table), 317(table), 318, 325(table), 328, 329(figure)
- greenhouse gases and, 41, 320, 321(figure), 322, 324, 325, 325(table)
- nitrate leaching in, 40, 227, 227(figure), 288, 289(figure)
- nitrogen in, 216(table), 217, 218(table), 219–20, 220(figure), 222, 223(table), 224(figure), 225, 226, 229, 229(figure), 232, 233, 233(table), 239
- pest management in, 192, 193, 200
- plant community dynamics in, 163–64, 164(table), 165(figure), 166(figure), 169, 175
- soil carbon in, 386
- soil fertility in, 43, 44
- soil microbial diversity in, 142, 147
- soil moisture in, 44(figure), 45
- soil organic matter in, 109, 110(table), 111, 112(table), 113, 117(table), 119, 120(table), 122, 125
- soundscape recording in, 370, 371
- trade-offs in, 390(table), 391
- water quality in, 40, 286, 288
- yields in, 36, 36(figure), 37, 318, 318(table), 384, 385, 385(table), 393, 397
- See also* Crop yields; Main Cropping System Experiment (MCSE)
- Convergent ladybeetle. *See Hippodamia convergens*
- Cooperative Extension Service, 22
- Copiotrophs, 151–52
- Corn, 1, 3, 17, 18, 25, 34, 47, 164, 165, 279, 383, 384
- advent of hybrid, 80–81
- biofuel produced from, 42, 327, 328
- Bt, 82, 113
- climate change and, 96, 97, 98
- cropping system diversity and, 176–77, 176(figure)
- crop simulation models on, 254–55, 259, 260, 263, 265
- crop stress and, 88, 89–94, 92(figure)
- cultivation by Native Americans, 21
- diseases affecting, 82
- early cultivation of, 79, 379
- export of, 77
- farmers' decisions on cultivation practices, 346–50, 346(table), 347(figure)
- genetically engineered, 35
- global warming impact and, 321
- herbicide-resistant, 37, 189
- insect pests of, 82
- nitrogen and, 216(table), 217, 218(table), 219(figure), 221, 233, 234, 235
- percentage of cropland used for, 22
- pest management and, 39, 58–60, 190, 196, 197, 197(figure), 199, 202–4, 205
- principle uses of, 81
- soil microbial diversity and, 138
- soil organic matter and, 113, 117, 118, 118(table), 119, 122, 125, 126(table), 128
- superior biological traits of, 380
- survey of farmers (*see* Crop Management and Environmental Survey)
- value of production, 77
- yields, 23–24, 23(figure), 36, 83–85, 85(figure), 86(figure), 87(figure), 89–94, 93(figure), 94(figure), 176–77, 384, 385, 385(table), 392–93, 399, 401
- Corn Belt, 25, 77
- See also* North Central Region
- Corn-corn-soybean rotations, 392
- Corn-corn-soybean-wheat rotations, 384
- Corn-soybean-canola rotations, 18
- Corn-soybean rotations, 69

- adding small grains to, 46
- crop yields and, 37
- farmers' decisions on using, 343, 345, 350, 351(table), 351(table)
- Corn-soybean-wheat rotations, 5, 10–12, 16, 35, 58, 397
 - crop yields and, 37–38, 393
 - farmers' decisions on using, 343, 347(figure), 347, 350, 351(table), 351(table)
 - global warming impact and, 64, 315
 - greenhouse gases and, 319
 - management strategy comparisons, 381
 - nitrate leaching and, 288
 - nitrogen and, 232, 233(table)
 - soil microbial diversity and, 142
 - survey on, 65
- Corvus brachyrhynchos*, 363
- Costs
 - direct, 62, 351–52, 401
 - opportunity, 62, 351–52, 398–99, 401
- Cotton, 88, 97
- Cover crops, 11, 12, 65, 220, 379, 384, 398–99, 401
 - clover, 125–26, 128, 345
 - crimson clover, 384, 393
 - crop yields and, 392–93
 - economic valuation and, 69
 - excess nitrogen mitigation by, 234–35
 - farmers' decisions on, 345, 346, 346(table), 347, 350, 351(table), 352, 351(table)
 - leguminous (*see* Leguminous cover crops)
 - plant community dynamics and, 169
 - red clover (*see* Red clover cover crops)
 - red fescue, 12, 13
 - ryegrass, 11, 234, 345, 379, 381, 384
- CREP. *See* Conservation Reserve Enhancement Program
- Crimson clover cover crops, 384, 393
- Crop development, 258(table), 259, 260
- CROPGRO model, 257
- Crop growth, 258, 258(figure), 260
- Crop insurance subsidies, 37
- Crop Management and Environmental Stewardship Survey, 65–67, 69, 343, 346, 350, 351
- Crop models. *See* Crop simulation models
- Cropping systems designs, 378–408
 - LFL Experiment performance, 391–96
 - MCSE performance, 384–91
 - for sustainable systems, 396–400
- Crop rotations, 401
 - in Biodiversity Gradient Experiment, 161, 162(table)
 - corn-corn-soybean, 392
 - corn-corn-soybean-wheat, 384
 - corn-soybean (*see* Corn-soybean rotations)
 - corn-soybean-canola, 18
 - corn-soybean-wheat (*see* Corn-soybean-wheat rotations)
 - crop yields and, 37–38
 - farmers' decisions on, 343, 345
- Crop simulation models, 252–74
 - crop management datasets for, 263(table)
 - digital terrain models linked with, 266–67
 - examples of, 256–57
 - soil datasets for, 263(table)
 - stochastic, 254
 - statistical, 254–55
 - types of, 254–56
 - See also* CENTURY model; CERES model; CROPGRO model; CROPSYS model; EPIC model; DAYCENT model; DNDC model; DSSAT model; NGAS-DAYCENT model; SALUS model; SALUS-TERRAE model
- Crop Stress Index (CSI), 78, 87–94, 96, 98, 255
 - distribution by county, 91(figure)
 - distribution by month and year, 92(figure)
 - equation estimating, 87
- Crop surveillance, 83
- Cropping system design, 378–408
- CROPSYS model, 260
- Crop yields, 35–38
 - climate and, 83–94
 - components of, 259–60
 - conservation agriculture and, 397
 - cropping system diversity and, 176–77
 - crop simulation models on, 253, 257–60
 - energy balances and, 318, 319(table)
 - in LFL Experiment, 391–93, 392(figure)
 - MCSE performance, 384–86, 385(table)
 - MCSE vs. regional, 23–24

- in North Central Region, 83–94
 organic agriculture and, 398, 399
 trade-offs and, 390, 390(table),
 391, 395–96
 weed abundance and diversity and, 175
- CRP. *See* Conservation Reserve Program
- CSI. *See* Crop Stress Index
- Cycloneda munda*, 196(table), 198, 202,
 203(figure), 204
- Cyclotrachelus sodalis*, 192
- Cytophagales, 142
- Data Management, 3
- DAYCENT model, 256
- DDT, 81, 83
- Dead zones, 341
- Deciduous Forest system (MCSE), 5–6,
 5(figure), 35
 description of, 10(table), 14
 global warming impact and, 315(table),
 316, 317(table)
 greenhouse gases and, 42, 324,
 324(figure)
 nitrate leaching in, 227, 227(figure), 288,
 289(figure)
 nitrogen in, 220, 222, 223(table),
 224(figure), 226
 replication of, 14
 soil microbial diversity in, 140
 soil organic matter in, 106, 109, 124
 soundscape recording in, 364, 366
 water quality in, 286, 288
See also Main Cropping System
 Experiment (MCSE)
- Decision Support System (DSS), 253, 254,
 256, 269
- Decision Support System for
 Agrotechnology Transfer (DSSAT),
 253, 257, 260, 261, 262, 269
- Decomposition, 105–6, 111, 115–19,
 122–23, 128, 260
- Deforestation, 105, 312, 341
- Degree-day(s), 87, 88 90(figure)
- Denitrification, 39, 226, 232, 237, 240, 322
 defined, 228
 description of process, 228–30
 soil microbial diversity and, 145–47, 152
 water quality and, 294, 295, 298, 302
- DeNitrification-DeComposition (DNDC)
 model, 256
- Deposition, *See* Wet deposition
- Deterministic crop models, 254–56
- Diabrotica* spp. *See* rootworms.
- Diabrotica virgifera virgifera*, 82
- Diamond-water paradox, 54
- Digital terrain models, 266–69
- Digitaria ischaemum*, 395
- Digitaria sanguinalis*, 169
- Dinitrogen gas, 2, 217–19, 256
- Disease, crop, 82–83
- Dispersal (insects), 190, 195
- Disturbance by N-Fertilization Experiment,
 163, 165, 168(table), 171, 172(figure),
 173(figure), 179
- Disturbances, 380–81
 intentional, 7
 plant community dynamics and,
 162–66, 180
 press, 6, 7
 pulse, 6, 7
 unintentional, 7
See also Drivers
- DNA sequences, 136–40, 144, 149, 153
- DNDC. *See*
 DeNitrification-DeComposition model
- Dolomite, 20, 283, 284, 302
- Dreissena polymorpha*, 302
- Drivers, 7, 9
 of farmers' decisions, 344
 of soil microbial diversity, 142–44
See also Disturbances
- Drought, 24, 45, 88, 177, 385
- DSS. *See* Decision Support System
- DSSAT. *See* Decision Support System for
 Agrotechnology Transfer
- Dust Bowl, 96
- Eagle Creek, 294
- Early Successional communities (MCSE),
 15, 35
 description of, 10(table), 13
 experimental layout for, 4(figure)
 global warming impact and, 315,
 315(table), 316, 317(table), 325(table),
 328, 329(figure), 330
 greenhouse gases and, 42, 324,
 325(table), 326–27
 methanotrophs and, 43(figure)
 nitrate leaching in, 227, 227(figure), 288,
 289(figure), 399

- Early Successional communities (MCSE)
(*cont.*)
nitrogen in, 214–15, 216(table), 220,
222, 223(table), 224(figure), 225,
226, 230
pest management in, 39, 195, 197(figure)
plant community dynamics in, 160,
161–62, 165, 168(table), 169–71,
170(figure), 171–74, 172(figure),
173(figure), 180
replication of, 14
soil organic matter in, 109, 116,
117(table), 122
soundscape recording in, 370, 370(table),
371, 372(figure)
temporal dynamics in, 169–71
water quality in, 288
- Eastern wood-pewee, 367(table)
Echinochloa crus-galli, 168(table)
- Econometric analysis, 66
- Economic
demand, 61, 67–69
supply, 61, 64–67, 69
trade-offs, 401
value, 54
See also Economic valuation
- Economic Optimum Nitrogen Rate
(EONR), 217, 219(figure), 232, 234
- Economic valuation, 45–48, 54–76
assumptions and indicative estimates, 70,
71(table)
cautions and opportunities from, 70–72
consumer demand and, 67–69
improved cropping practices and, 58–70
linking demand and supply, 69–70
pest regulation and, 58–61, 72
principles for, 55
revealed preference methods and,
55, 56–58
stated preference methods and, 55,
61, 64–67
supply and demand with missing
markets, 61
trade-off analysis and, 61, 62–64,
64(table)
- Ecosystem services, 1–5, 35–45
arthropod-mediated, 38–39,
climate regulation and, 59, 61
valuing ecosystem services from
cropping practices, 58–59
payment for, 45–48
recreational, 56–58
trade-offs, 62–64, 390–91, 395–96
See also Cropping systems designs;
Economic valuation; Farmer decisions;
Farming for services
- Ectomycorrhizal fungi, 125
- Efficient frontier, 63–64
- Elymus repens*, 13, 168(table), 173–74
- Emergent weed community, 163, 169
- Endomycorrhizal fungi, 125
- Energy balances, 318, 318(table), 319,
385(table), 387, 398
- Energy efficiency, 387–88, 401
- Energy fluxes, 316–18
- Energy Independence and Security Act, 330
- Entisols, 283
- Environmental Policy Integrated Climate
(EPIC) model, 257, 260, 269, 330
- Environmental Quality Incentives Program
(EQIP), 69, 342, 343, 352, 355
- Enzymes, 145–146, 228–229, 324,
- EONR. *See* Economic Optimum
Nitrogen Rate
- EPIC model. *See* Environmental Policy
Integrated Climate model
- EQIP. *See* Environmental Quality
Incentives Program
- Erie Canal, 22, 79
- Erigeron annuus*, 168(table)
- Erosion, 109–10, 257
- Ethanol, grain-based, 37, 81, 97, 327, 328
- European corn borer, 11, 81, 82
- Eutrophication, 47, 48, 58, 67–69, 297,
300, 389
- Evapotranspiration, 18, 178, 255, 262, 278,
279(figure), 280
- Factor input method, 59–60
- Fall panicum/panicgrass, 169, 193,
193(figure)
- Farmer decisions, 340–59
agricultural trends and, 341–43
attitudes toward conservation practices,
345–50
drivers of, 344
impact of incentives and payments on,
350–51
on KBS LTER practices, 344–46
- Farming for services, 6–8, 33–53

- crop yields and, 35–38
 - defined, 7
 - greenhouse gas mitigation and, 41–43
 - pest management and, 38–39
 - services delivered, 35–45
 - the social component, 45–48
 - soil fertility and, 43–45
 - water quality and, 39–41
- Feldspar, 20, 116, 283
- Fertility, soil, 43–45
 - See also* Soil organic carbon
- Fertilization, 11, 12, 13
 - analysis of effects on grasslands, 174–75
 - economic valuation and, 65, 66
 - farmers' decisions on use of, 343, 349, 350, 351(table)
 - nitrogen (*see* Nitrogen fertilization)
 - phosphorus, 11, 12
 - potassium, 11, 12, 320
 - replacement value, 59
 - synthetic, 216–17, 223
 - trends in use of, 341–42
- Festuca rubra*. *See* Red fescue cover crops
- Field crops. *See* row crops.
- Fifteen-spotted ladybeetle. *See* *Anatis labiculata*
- Fire/burning, 20–21, 162–63, 170–71, 177–78
- Focus group, 345–52
- Fossil fuels, 42, 312, 318–19, 327, 378, 380, 383, 397
- Fourteen-spotted ladybeetle. *See* *Propylaea quatuordecimpunctata*
- Functional crop models, 254, 255–56
- Fungi, 124–25
- Fungicides, 81

- Garlic mustard, 14
- Genetically modified (GM) crops, 12, 35, 82, 189, 345, 353
- Geophony/geophysical sounds, 361, 362(figure), 363, 364
- Giant foxtail. *See* *Setaria faberi*
- Glacial retreat, 21, 35
- Glaciation, 111
 - at KBS, 19–20
 - water quality and, 275, 278–79, 280, 283, 290–91, 293, 299, 302
- Globalization, 22
- Global warming impact (GWI)
 - of biofuel crops, 316–18, 327–32
 - components of, 329(figure)
 - concept of, 313–14
 - conceptual diagram of, 320(figure)
 - economic valuation and, 45, 46(figure), 62–64, 64(table), 68
 - energy flux considerations, 316–18
 - farmers' attitudes toward, 348, 349(figure), 350
 - in practice, 314–16
 - MCSE systems and, 41–42, 41(figure), 313–19, 321, 325, 325(table), 326
 - system boundaries for comparisons, 318
 - trade-offs and, 391
 - See also* Climate change
- Global warming potential (GWP), 313–14
 - See also* Global warming impact
- Glossy buckthorn, 14
- Glycine max*. *See* Soybeans
- Glyphosate, 11, 12, 13, 35, 189, 330, 347
- Golden Age of Agriculture, 22
- Goldenrod. *See* *Solidago* species
- Grasslands, 174–75
 - See also* Mown Grassland (never tilled)
- Grazing, 162–63
- Great Lakes, 278
- Great Lakes Bioenergy Research Center (GLBRC), 18
- Great Lakes region, 25, 34–35, 79, 95, 106, 107, 399
- Greenhouse gases, 7, 17, 18, 231–32, 310–39, 349, 352, 353, 388, 401
 - components of balances in cropping systems, 319–27
 - crop simulation models on, 256
 - economic valuation and, 47–48, 58, 59, 61, 62, 67–69
 - farmers' decisions and, 343
 - farming for services and, 41–43
 - percentage attributed to agriculture, 341
 - projected effects of, 95
 - row crops and, 312–13
 - soil microbial diversity and, 136, 141, 144
 - systemwide comparisons, 313–19
 - trade-offs and, 391
 - See also* Carbon dioxide; Methane; Nitrous oxide
- Gross margin, 62

- Groundwater, 278–303, 341, 349
 chemistry of, 281–83, 282(table), 291
 ionic composition of, 291, 292(figure)
 nitrate leaching and, 228
 quality of, 290–93
 specific conductance of, 277(figure)
 surface water interactions with, 293–303
 water movement from precipitation to,
 277, 278–93
- Gulf of Mexico, 39, 341, 353
- Gull Lake, 20(figure), 291, 293,
 301(table), 302
- GWI. *See* Global warming impact
- GWP. *See* Global warming potential
- Gypsum, 291
- Gypsy moth, 192
- Haber-Bosch process, 216
- Harmonia axyridis*, 60, 192, 195,
 196(table), 197(figure), 198,
 199(figure), 202, 203(figure), 204,
 205–6, 205(figure)
- Harvest index (HI), 260
- Hay, 22, 345
- Heat, 78, 88, 89–91, 95, 98
- Hedonic valuation, 56–58, 57(figure)
- Helminthosporium maydis*, 82
- Henry Ford Farms, 80
- Herbicides, 11, 12, 13, 381, 384
 early use of, 81
 farmers' decisions on use of, 347(figure),
 347
 resistance to, 37, 189, 382, 397
 weed community dynamics and, 163–64,
 169, 180
- Herbivores, 190, 192, 199
- Heterogeneity, 64–67, 138
- Hieracium* spp., 168(table)
- Hippodamia convergens*, 195, 196,
 196(table), 197(figure)
- Hippodamia glacialis*, 195, 196(table),
 197(figure)
- Hippodamia parenthesis*, 190, 195,
 196(table), 197(figure)
- Hippodamia tredecimpunctatibialis*, 195,
 196(table)
- Hippodamia variegata*, 195, 196(table),
 197(figure), 198, 199(figure)
- History of agriculture, 79–83
- Histosols, 283
- Honeysuckle, 14
- Hornblende, 116
- Hoytville, Ohio, 107–8, 108(table), 120–21,
 122(figure)
- Human settlement, 21–22
- Humic material, 104, 127
- Hunting, 56–57
- Hydrogeology, 278–80
- Hydrologic nitrogen flow paths, 237–38
- Hydrologic nitrogen losses, 227–28
- Hydrolysis (acid), 106, 123, 127, 128
- Hyperaspis undulata*, 195, 196(table)
- Hypericum perforatum*, 168(table)
- Hypoxia, 39, 342, 353
- Illinois, 25, 61, 78(figure), 79, 80, 81, 85,
 85(figure), 232
- Immigrants, 79
- Incentives for ecosystem services, 350–51
- Incidental signals, 361–62, 362(figure)
- Indiana, 25, 78(figure), 79, 81, 85,
 85(figure)
- Indigo bunting, 367(table)
- Insecticides
 early use of, 81, 188–89
 farmers' decisions on use of, 347
 resistance to, 189
- Insect pests, 82–83
See also Insecticides; Pest management;
 specific insects
- Integrated Conventional system (LFL), 383
 crop yields in, 392–93, 392(figure)
 description of, 382(table), 384
 pest management in, 395
 soil characteristics and treatment in,
 394(table)
- trade-offs in, 390(table), 395–96
 water quality in, 394
- Integrated pest management (IPM), 11,
 58–61, 83, 189
- Intensification. *See* Agricultural intensification
- Intentional disturbances, 7
- Intentional signals, 361, 362(figure)
- Interactions Experiment, 109, 110(table),
 266(figure)
- Interaggregate fraction of SOM, 115, 117,
 118–19, 120, 121, 128
- Intraaggregate fraction of SOM, 105,
 115, 116, 117, 118, 119, 120, 125,
 127, 128

- Intraguild predation, 200–202
- Intrinsic value, 54
- Invasive species, 14, 192, 198–200
See also Soybean aphid
- Invertebrate exclosure, 194,
 194(figure)
- Iowa, 25, 61, 78(figure), 79, 81, 84, 85,
 85(figure)
- IPM. *See* Integrated pest management
- Iron, 291, 298
- Iroquois Indians, 21
- Irrigation, 17, 33, 81, 97, 262, 321–22
- Kalamazoo County, 56
 Crop Stress Index for, 93–94
 crop yields in, 23, 24, 35, 36, 93(figure),
 94(figure), 98
 nitrogen deposition in, 221
 water quality in, 277, 281, 291, 293
- Kalamazoo River, 20, 276(figure), 278–80,
 291, 294, 297
- Kalamazoo series, 20, 105
- Kansas, 25, 78(figure), 81, 85(figure)
- Kellogg Biological Station Long-Term
 Ecological Research (KBS LTER),
 1–32
 ancillary experiments, 15–18
 conceptual model of, 6–8, 6(table), 26
 Data Catalog, 3
 description of program, 3–6
 experimental setting, 8–18
 key findings of, 401
 location of site, 3, 3(table), 77–78, 275,
 276(figure)
 regional setting, 18–24
 trends in adoption of practices
 of, 344–46
See also Biodiversity Gradient
 Experiment; Bioenergy Cropping
 System Experiment; Cellulosic
 Biofuel Diversity Experiment; Living
 Field Lab Experiment; Main Cropping
 System Experiment; Resource
 Gradient Experiment
- Kellogg Forest, 113, 114(figure)
- Kernel number (KN), 260
- Labile soil phosphorus pool, 261
- Labor demand, 46, 347
- Land
 retirement, 341
 set-aside, 58, 113
 use change, 113, 312, 341
Lactuca serriola, 168(table)
- Ladybird beetles, 15, 38, 190, 194
See also Coccinellids
- LAI. *See* Leaf area index
- Lake Allegan, 297
- Lake Michigan, 20, 80, 278
- Lakes, 20, 277, 277(figure), 298–302
 eutrophication of, 47, 48, 58, 67–69,
 297, 300
 groundwater quality and, 290
 ionic composition of, 291, 292(figure)
- Lamberton, Minnesota, 108(table), 120–21,
 122(figure)
- Lambsquarters. *See* *Chenopodium album*
- Landscapes, agricultural
 effects on soybean aphid suppression,
 204–6
 of KBS LTER, 24–26
 soil organic matter dynamics and, 106–8
 structure and community composition in,
 177–78
- Large or hairy crabgrass, 169
- Large-tooth aspen, 13
- Late Woodland Period, 21
- Lawrence Lake, 301(table), 302
- Leaf area index (LAI), 258, 260
- Legumes, 125, 128, 177, 216, 220,
 220(figure), 257, 384, 399, 401
- Leguminous cover crops, 11, 12, 37, 80,
 222, 224
 crop yields and, 232
 excess nitrogen mitigation and, 235
 farmers' decisions on use of, 347(figure)
 greenhouse gases and, 42–43, 322
 plant community dynamics and, 169
 soil fertility and, 45
 soil organic matter and, 111
See also Cover crops
- LFL Experiment. *See* Living Field Lab
 Experiment
- Lignin, 116–18
- Lime, 11, 12, 105, 315, 316, 320–21
- LINX. *See* Lotic Intersite Nitrogen
 Experiment
- Living Field Lab (LFL) Experiment, 379
 agronomic performance in, 391–96
 description of, 17, 383–84

- Living Field Lab (LFL) Experiment (*cont.*)
 description of row cropping systems of, 382(table)
 greenhouse gas mitigation in, 325
 MCSE compared with, 380, 393
 nitrogen in, 234
 purpose of, 380
 soil organic matter dynamics in, 125
 trade-offs in, 390(table), 391, 395–96
See also Integrated Conventional system;
 Organic system
- Lolium multiflorum*, 11
- Long-Term Agricultural Research (LTAR)
 Network 25–26
- Long-Term Ecological Research (LTER)
 Network, 3, 34, 162, 174
- Lotic Intersite Nitrogen Experiment
 (LINX), 294–95
- Lotus corniculatus*, 168(table)
- Lower Crooked Lake, 301(table)
- Magnesium, 105, 284, 290, 291, 297–98, 299(figure), 301, 302, 391
 carbonate, 105
See also Lime
- Main Cropping System Experiment
 (MCSE), 5–6, 379–83, 396–99
 agronomic performance in, 384–91
 description of, 9–15, 10(table), 34–35, 381–83
 description of row cropping systems in, 382(table)
 economic valuation and, 55, 59(table), 61–66
 ecosystem services from, 386(figure)
 experimental layout for systems, 4(figure)
 farming for services and, 34–45
 global warming impact analysis in, 314–21, 315(table)
 greenhouse gas mitigation and, 312–30, 349, 388
 LFL Experiment compared with, 380, 393
 location of, 14
 measurements for systems and communities, 15
 nitrogen in, 214–39
 pest management in, 190–96, 389–90
 plant community dynamics in, 159–79
 plot sizes for systems, 14–15
 purpose of, 5, 380
 regional yields *vs.* yields of, 23–24
 replication of systems and communities, 14
 SALUS findings compared with, 265, 266(table)
 sampling stations of, 15
 soil microbial diversity in, 138, 140, 142, 147
 soil organic matter dynamics in, 106–25
 soundscape recording in, 364–72
 trade-offs in, 390–91, 390(table), 396
 trends in adoption of practices of, 344–45
 water quality in, 280, 284–91, 388–89
See also Alfalfa system; Annual cropping systems; Biologically Based system; Coniferous Forest system; Conventional system; Crop yields; Deciduous Forest system; Early Successional communities; Mid-successional communities; Mown Grassland (never tilled); No-till system; Perennial cropping systems; Poplar system; Reduced Input system; Successional and reference communities
- Main Cropping System Experiment (MCSE) Scale-Up Experiment, 15–17, 16(figure)
- Maize. *See* corn
- Manure, 13, 38, 46, 216, 381, 383, 384
 farmers' decisions on use of, 347(figure), 347
 greenhouse gas emissions from, 41
 nitrate leaching following, 264, 265(table)
 plant community dynamics and, 175
- Margin, market prices determined at the, 55
- Marginal cost, 64
- Markets
 defined, 55
 missing, 61
- Mascouten Indians, 21
- Maximum Return to Nitrogen (MRTN) approach, 217, 234
- MCSE. *See* Main Cropping System Experiment

- Mean annual precipitation (MAP), 178–79
- Mean residence times (MRTs) of soil
carbon, 105, 106, 107–8, 117,
117(table), 118, 121, 127
- Mechanical signals, 362, 362(figure), 363
- Mechanistic crop models, 254, 255
- Mechanization, 22, 80, 342
- Medicago sativa*. *See* Alfalfa
- Melandrium album*, 168(table)
- Metagenomes, 138, 140, 142
- Methane, 41, 42, 48, 72, 312, 388
crop simulation models on, 256
global warming impact of, 313, 314,
316, 332
major agricultural sources of, 310
soil microbial diversity and, 136, 141,
144, 145, 147, 153
water quality and, 287, 288
- Methane fluxes, 322–25, 325(table)
- Methanotrophs, 42, 43(figure), 145,
146(figure), 153, 323, 325
- Michigan
agricultural landscape of, 25
agricultural periods in, 22
agricultural trends in, 379–80
climate change in, 95
corn and soybean yields in, 85(figure)
corn production importance in, 81
counties comprising KBS LTER regional
setting, 21(figure)
historical perspective on agriculture,
79–80
land use in, 78(figure)
soybean aphid control in, 61
See also Kellogg Biological Station
Long-Term Ecological Research
- Michigan Environmental Survey,
47–48, 67–69
- Michigan State University (MSU)
Extension, 11, 12, 13, 217,
346–47, 381
- Microbial diversity. *See* Soil microbial
diversity
- Microbial respiration, 147–48
- Microcystis aeruginosa*, 302
- Mid-infrared spectroscopy, 120–21,
121(figure), 128
- Mid-successional communities (MCSE),
5(figure), 35
description of, 10(table), 13–14
global warming impact and, 315(table),
317(table)
greenhouse gases and, 42,
324(figure), 325
methanotrophs in, 43(figure)
nitrate leaching in, 227, 288, 289(figure)
nitrogen in, 220, 222, 223(table),
224(figure), 226
replication of, 14, 366
soundscape recording in, 364
water quality in, 288
See also Main Cropping System
Experiment (MCSE)
- Minnesota, 25, 61, 78(figure), 79, 81, 85,
85(figure), 232
- Miscanthus, 5, 18, 42
- Miscanthus x giganteus*, 5
- Mississippi River, 39, 80, 341
- Missouri, 25, 78(figure), 81, 85(figure)
- Models. *See* Crop simulation models
- Moldboard plowing, 66, 109–10, 264, 341,
343, 346
- Mollisol soils, 18, 283
- Molybdenum, 12
- Morphological development, 259
- Morrow Lake, 297
- Mouse-ear cress, 169
- Mown Grassland (never tilled)
(MCSE), 5(figure), 35
description of, 10(table), 13
global warming impact and, 315(table),
317(table)
nitrogen in, 222, 223, 223(table),
224(figure), 226, 227(figure), 229,
229(figure), 230
replication of, 14
soil carbon in, 387
soil microbial diversity in, 147
soil organic matter in, 109, 110(table),
113, 117(table), 125
See also Main Cropping System
Experiment (MCSE)
- MRTN. *See* Maximum Return to Nitrogen
approach
- MRTs. *See* Mean residence times
- N₂ gas. *See* Dinitrogen gas
- N₂O. *See* Nitrous oxide.
- NASA, 262
- National Agricultural Statistics Service, 66

- National Atmospheric Deposition Program/
National Trends Network, 15, 282(table)
- National Center for Supercomputer
Applications (NCSA), 373
- National Oceanic and Atmospheric
Administration, 281
- National Wetlands Inventory, 297, 298
- Native Americans, 21
- Natural enemy, 60–61, 60(figure), 200–2
- NDSI. *See* Normalized Difference
Soundscape Index
- Nebraska, 25, 78(figure), 81, 85(figure)
- Net Ecosystem Productivity (NEP),
326, 330–32
- Net Primary Productivity. *See* Productivity
- Neuroptera, 190
- Next-generation sequencing, 137, 140, 147
- NGAS-DAYCENT model, 256
- Nine-spotted ladybeetle. *See Coccinella
novemnotata*
- NirK* gene, 145, 146, 147
- NirS* gene, 145, 146, 147
- Nitrate, 2, 224, 224(figure), 225(figure),
236(figure)
average concentration in soil, 323(figure)
crop yields and, 384
in precipitation, 281–82
- Nitrate leaching, 226, 227–28, 227(figure),
237, 238, 239, 352, 401–2
cover crop reduction of, 234–35
crop simulation models on, 254, 264,
265(table)
economic valuation and, 45,
46(figure), 62
farmers' attitudes toward, 348,
349(figure)
greenhouse gases and, 316, 322, 324–25
organic agriculture and, 398
perennial vegetation and, 399–400
trade-offs and, 390(table), 391, 395–96
water quality and, 39–41, 40(figure), 284,
286–88, 287(figure), 289, 289(figure),
291–95, 296(figure), 298, 300(figure),
301–3, 388–89, 394–95
- Nitrate reductase, 228
- Nitrate testing. *See* Soil testing for nitrogen/
nitrate
- Nitric acid, 288, 290, 316, 320
- Nitric oxide, 224–25, 256
- Nitric oxide reductase, 145–47, 228
- Nitrification, 223(table)
defined, 224
description of process, 224–26
water quality and, 284, 288, 290
See also Archaea
- Nitrite, 224
- Nitrite reductase, 145, 146, 228
- Nitrogen, 106, 213–51
agronomic balances in, 232–33
comparison of MCSE and LFL use of, 380
corn and wheat effects on uptake, 125,
126(table), 128
crop simulation models on, 253, 256,
257, 260
crop yields and, 36, 384
greenhouse gases and, 313
inputs and outputs, 214–15
loss of, 227–32, 238–39
management effects on, 113–14,
114(table)
mitigation of excess, 233–39
percentage attributed to agriculture, 341
plant community dynamics and, 162
in precipitation, 281
soil microbial diversity and, 142
transfers of, 214
transformations of, 214, 222–26
water quality and, 39, 278, 287–88, 297
See also Ammonium; Dinitrogen;
Nitrate; Nitrous oxide; Soil inorganic
nitrogen; Soil organic nitrogen
- Nitrogen cycle, 33, 213
major elements of, 214–21, 214(figure)
soil microbial diversity and, 135–36, 153
water quality and, 294
- Nitrogen fertilization, 11, 12, 17, 80, 85,
216–17, 221, 231–32, 231(figure),
234–37, 239, 381–82, 384, 397
application rates (MCSE), 218(table),
234, 402
crop simulation models on, 254, 264,
265(table)
crop yields and, 37–38
economic valuation and, 69, 72
farmers' decisions on use of, 346,
346(table), 347, 347(figure),
formulation, placement, and timing of,
235–37
global warming impact and, 42, 314,
315, 328, 391
greenhouse gases and, 42, 43, 312, 314,
315, 320, 322, 324, 388

- plant community dynamics and, 161, 163, 169, 171–75, 177
- soil microbial diversity and, 145
- soil testing prior to use (*see* Soil testing for nitrogen/nitrate)
- urea, 217
- water quality and, 39–41, 284, 290, 302, 394
- See also* Ammonium; ammonia; resource gradient experiment
- Nitrogen fixation, 214, 217–20, 316, 320, 322, 380, 398, 401, 402
- biological, 219–20, 220 (table), 232, 235
- crop yields and, 36, 384
- perennial vegetation and, 399–400
- Nitrogen immobilization, 222, 236, 237, 260, 261
- Nitrogen mineralization, 113, 125, 126(table), 223(table), 226(figure), 236, 236(figure), 237, 388
- crop simulation models on, 260, 261
- defined, 222
- description of process, 222–24
- plant community dynamics and, 177
- Nitrogen oxides, 220–21
- Nitrogen:phosphorus ratio, 287, 302
- Nitrogen Use Efficiency (NUE), 234, 235–36
- Nitrosospora*, 226
- Nitrous oxide, 34, 41, 42, 72, 220–21, 224–25, 229–32, 229(figure), 231(figure), 237, 313, 352, 382, 388, 401
- crop simulation models on, 256
- evaluation of emissions, 230–32
- emissions (fluxes), 322–25, 325(table), 389
- global warming impact of, 314, 315, 316, 328, 332
- major agricultural sources of, 310
- perennial vegetation and, 400
- soil fertility and, 43
- soil microbial diversity and, 136, 141, 144, 145–47
- water quality and, 295, 389
- Nitrous oxide reductase, 145, 147, 228
- Non-hydrolyzable carbon, 106, 108, 108(table), 117–18
- Nonuse values, 55
- Normalized Difference Soundscape Index (NDSI), 363–64, 371
- North American Amphibian Monitoring Program, 360
- North American Breeding Bird Survey, 360
- North Central Region (NCR), 3, 77–103
- agricultural history of, 79–83
- agricultural industrialization in, 81
- climate change implications for, 94–98
- climate in, 77–78, 83–94
- crop yields in, 83–94
- land transformation in, 79–80
- states included in, 25, 78(figure)
- See also* Kellogg Biological Station Long-Term Ecological Research
- North Dakota, 25, 78(figure), 84, 85(figure)
- Northern cardinal, 367(table)
- North Temperate Lakes Long-Term Ecological Research (NTL LTER) site, 280, 299
- Norway spruce, 13
- NosZ* gene, 147
- No-till practices, 34, 265
- benefits of, 382–83
- economic valuation and, 46, 65, 66
- farmers' decisions on, 347
- greenhouse gases and, 314, 320
- nitrogen and, 238, 239
- No-till system (MCSE), 17, 35, 265, 349, 352, 383, 398, 402
- crop yields in, 36(figure), 318, 318(table), 384, 385(table), 393, 397
- description of, 10(table), 11, 381
- economic valuation and, 59(table), 62–64, 63(table), 64(table)
- energy balances in, 318, 318(table), 385(table)
- energy efficiency in, 387–88
- global warming impact and, 315, 315(table), 317(table), 318, 325(table), 328
- greenhouse gases and, 42, 320, 321, 321(figure), 322, 324(figure), 325, 325(table), 329(figure)
- nitrate leaching in, 40, 227, 227(figure), 288, 289(figure)
- nitrogen in, 214, 216(table), 217, 218(table), 220(figure), 222, 223(table), 224(figure), 225, 232, 233, 233(table), 239
- pest management in, 192, 193, 200, 390

- No-till system (MCSE) (*cont.*)
 plant community dynamics and, 163–64,
 164(table), 165(figure), 166(figure),
 169, 175, 179
 soil carbon in, 386–87
 soil fertility in, 44
 soil moisture in, 44(figure), 45
 soil organic matter in, 109, 110, 110(table),
 111, 112(table), 113, 115, 116, 122
 soundscape recording in, 370, 371
 trade-offs in, 390(table), 391, 396, 401
 water quality in, 40, 288
See also Crop yields; Main Cropping
 System Experiment (MCSE)
- Nutrients. *See* nitrogen; phosphorus;
 fertilization.
- NUE. *See* Nitrogen Use Efficiency
- Oats, 12, 80, 379
- Ogallala Aquifer, 81
- Ohio, 25, 78(figure), 79, 81, 85, 85(figure)
- Oligotrophs, 149–50, 151–52
- Opportunity costs, 72, 399, 401
- Orange-spotted ladybeetle. *See*
Brachiacantha ursina
- Organic agriculture, 398–99
- Organic carbon. *See* Soil organic carbon
- Organic certification, 12, 35, 343, 344, 391
- Organic nitrogen. *See* Nitrogen
- Organic phosphorus. *See* Phosphorus
- Organic system (LFL)
 crop yields in, 392–93, 392(figure)
 description of, 382(table), 383–84
 pest management in, 395
 soil characteristics and treatment in,
 394(table)
 trade-offs in, 390(table), 391, 395–96
 water quality in, 394–95
See also Biologically Based
 system (MCSE)
- Oriental bittersweet, 14
- Oshemo series of loams, 20, 105
- Ostrinia nubilalis*. *See* European corn borer
- Ottawa Indians, 21
- Paleo-Indians, 21
- Palmer Drought Index (PDI or PDSI), 86–87
- Panicum capillare*, 168(table)
- Panicum dichotomiflorum*. *See* Fall
 panicum/panicgrass
- Panicum virgatum*. *See* Switchgrass
- Parasitoids, 200, 202, 206–07
- Parenthesis ladybeetle. *See* *Hippodamia
 parenthesis*
- Passive SOC pool, 261
- Passive SOM pool, 256
- Payments for ecosystem services (PES),
 350–51, 351(table)
- PCR. *See* Polymerase chain reaction
- PDI. *See* Palmer Drought Index
- Penman equation, 255
- Pennsylvania, 385, 387
- Perceptions, 64, 340, 348
- Perennial cropping systems, 5, 35
 description of, 10(table), 12–13
 economic valuation and, 59(table)
 experimental layout for, 4(figure)
 global warming impact and, 41(figure),
 315(table), 317(figure), 325(table)
 greenhouse gases and, 325(table),
 326–27
 nitrate leaching in, 40–41, 289(figure)
 nitrogen in, 216(table), 223(table)
 pest management in, 192
 water quality in, 40–41
See also Alfalfa system; Coniferous
 Forest system; Deciduous Forest
 system; Early Successional
 communities; Mid-successional
 communities; Mown Grassland (never
 tilled) system; Poplar system
- Perennial grains, 72
- Perennial vegetation, 399–400
- Permanganate Oxidizable Carbon (POXC),
 224
- PES. *See* Payments for ecosystem services
- Pesticides, 11, 12
 application rates, 343
 discovery of environmental risks, 83
 economic valuation and, 46(figure), 65
 farmers' decisions on use of, 347(figure),
 349–50, 349(figure), 350, 351(table)
 greenhouse gases and, 321
 trends in use of, 341–42
- Pest management, 188–212, 401
 arthropod diversity and (*see* Arthropod
 diversity (pest suppression))
 ecologically based, 189–90
 economic valuation and, 59–61, 72
 farming for services and, 38–39

- integrated, 11, 59–61, 83, 189
 in LFL Experiment, 395
 in MCSE, 190–96, 389–90
 production input method, 59–61
 quantification of insects and processes in,
 190–92
 shifting systems of, 188–89
- Pest scouting. *See* Scouting
- pH
 precipitation, 282–83
 soil, 142–43, 149, 150, 284, 290
- Phakopsora pachyrhizi*, 82
- Phasic development, 259, 260
- Phleum pratense*, 13, 168(table)
- Phosphate, 287, 300
- Phosphorus, 33, 39, 135, 398
 crop simulation models on, 256,
 260, 261
 economic valuation of runoff, 46(figure)
 farmers' attitudes toward runoff, 349–50,
 349(figure)
 fertilization, 11, 12
 in LFL Experiment, 393–94
 percentage attributed to agriculture, 341
 in precipitation, 281
 soil organic, 261, 281
 total dissolved, 286–88, 287(figure),
 300(figure), 301
 water quality and, 278, 284, 286–88,
 295–97, 300, 300(figure), 301, 302
- Photoperiod, 259, 260
- Photosynthesis, 330, 332
 crop simulation models on, 255, 258
 soil organic matter and, 105–6, 118, 124
- Picea abies*, 13
- Pignut hickory, 14
- Pines, 13, 115
- Pink spotted ladybeetle. *See* *Coleomegilla
 maculata*
- Pinus resinosa*, 13
- Pinus* spp., 115
- Pinus strobus*, 13
- Pitfall traps, 191
- Plagioclase, 20, 283
- Planctomycetes, 142
- Plant community dynamics, 158–87
 controls on productivity, 171–77
 disturbances and, 162–66, 180
 experimental design and research
 approaches, 159–62
 temporal dynamics and assembly,
 167–71
- PmoA* gene, 145
- Poa compressa*, 168(table)
- Poa pratensis*, 13
- Poecilus lucoblandus*, 192
- Polished ladybeetle. *See* *Cycloneda munda*
- Pollination, 80, 159
 economic valuation of, 55, 58
- Polluter Pays Principle, 354
- Polymerase chain reaction (PCR), 136–37,
 137(figure)
- Poplar system (MCSE), 5, 18, 35
 description of, 10(table), 12–13
 economic valuation and, 59(table),
 62–64, 63(table), 64(table)
 experimental layout for, 4(figure)
 global warming impact and, 315,
 315(table), 316–17, 317(table),
 325(table), 328, 329(figure)
 greenhouse gases and, 324,
 325(table), 327
 nitrate leaching in, 40–41, 227,
 227(figure), 288, 289(figure)
 nitrogen in, 214, 216(table), 217, 222,
 223(table), 224(figure), 225, 226
 pest management in, 39, 190, 195,
 197(figure)
 replication of, 14
 soil organic matter in, 109, 111, 113,
 117(table), 123, 124–25
 soundscape recording in, 364, 366, 370,
 370(table), 371, 372(figure)
 water quality in, 40–41, 288
See also Main Cropping System
 Experiment (MCSE); Bioenergy
 Cropping System Experiment (BCSE)
- Population dynamics, of soybean aphids,
 200–01
- Population modeling, of soybean aphids,
 202
- Populus x canadensis* Moench “Eugenei,”
 12
- Populus deltoides x P. nigra*, 12
- Populus x euramericana* “Eugenei,” 12
- Populus grandidentata*, 13
- Populus nigra x P. maximowiczii* “NM6,”
 13
- Populus* spp., 3, 12, 13, 35, 190, 214
- Potassium, 391

- Potassium fertilization, 11, 12, 320
- Potawatomi Indians, 21, 22
- Potential evapotranspiration (PET), 278, 279(figure)
- Potential weed community, 163
- Potentilla recta*, 168(table)
- Power Spectral Density (PSD), 363, 371
- Prairieville Creek, 293
- Precipitation, 78
 - acid, 282–84
 - amount and variability of, 278, 279(figure)
 - annual mean, 178–79
 - calcium, 299–300, 299(figure)
 - changes in, 95, 96
 - chemistry of, 281–83, 282(table)
 - crop simulation models on, 254–55
 - crop stress and, 87, 88, 90(figure)
 - crop yield and, 385
 - ionic composition of, 283(figure), 285(figure)
 - at KBS, 18–19, 19(figure), 35
 - MCSE monitoring of, 15
 - pH, 282–83
 - plant community dynamics and, 164, 166, 171–72, 178–80
 - specific conductance of, 277(figure)
 - water movement from, 277, 278–93
 - See also* Rainfall
- Predators
 - on pests, 38–39, 194–99
 - on seeds, 190–94
 - See also* Soybean aphid
- Preferences (of farmers), 67–68
- Pre-sidedress nitrogen test, 17
 - farmer adoption of, 65, 69, 348, 351
- Press disturbances, 6, 7
- Price elasticity of supply, 67
- Priestley-Taylor equation, 255
- Principal Components Analysis, 122(figure), 128, 141(figure)
- Probit statistical model, 66
- Profit maximization, 61
- Profitability, 62–63, 64(table), 349, 352
- Productivity
 - controls on, 171–77
 - in LFL Experiment, 391–96
 - in MCSE, 36(figure), 384–86
 - See also* Crop yields
- Profile (soil)
 - chemical changes as water percolates through, 283–84
 - soil organic carbon, 106, 109–11
 - water content, 268(figure)
- Property rights, 353
- Propylaea quatuordecimpunctata*, 195, 196(table), 198–99, 199(figure)
- Proteobacteria, 141, 142
- Prunus serotina*, 13, 14
- PSD. *See* Power Spectral Density
- Pseudacris crucifer*, 363
- Public good, 45, 348–350, 396
- Pulse disturbances, 6, 7
- Purslane speedwell, 169
- Pyrolysis, 122–23
- Quackgrass. *See* *Elymus repens*
- Qualitative data, 346
- Quantitative polymerase chain reaction (Q-PCR), 137(figure), 140, 147
- Quartz, 20, 116, 283
- Quercus alba*, 14
- Quercus rubra*, 14
- Questionnaire, 65–68
- Rabbit River watershed, 294
- Radiocarbon dating, 119, 121, 123–24
- Ragweed. *See* *Ambrosia artemisifolia*
- Rainfall, 19, 23–24, 255, 261–62, 385
 - See also* Precipitation
- rDNA sequences, 140
- Recreation as an ecosystem service, 56–58
- Red clover cover crops, 11, 13, 168(table), 220(figure), 232, 235, 379, 381, 384
 - crop yields and, 393
 - greenhouse gases and, 322
 - soil organic matter and, 111
 - See also* Cover crops
- Red fescue cover crops, 12, 13
 - See also* Cover crops
- Red maple, 14
- Red oak, 14
- Red pine, 13
- Reduced Input system (MCSE), 16, 35, 352, 396, 398, 399, 402
 - crop yields in, 36, 36(figure), 318(table), 385, 385(table), 386, 393
 - description of, 10(table), 11–12, 381
 - economic valuation and, 59(table), 63, 63(table), 64(table), 65

- energy balances in, 318(table), 385(table)
 energy efficiency in, 388
 global warming impact and, 315,
 315(table), 317(table), 325(table)
 greenhouse gases and, 322, 325,
 325(table)
 nitrate leaching in, 40, 227, 227(figure),
 288, 289(figure)
 nitrogen in, 216(table), 217, 218(table),
 220, 220(figure), 222, 223–24,
 223(table), 224(figure), 232,
 233(table), 235
 pest management in, 193
 plant community dynamics in, 163–64,
 164(table), 165(figure), 166(figure),
 169, 175
 soil fertility in, 44–45
 soil organic matter in, 109
 trade-offs in, 390(table), 391
 water quality in, 40, 288
See also Crop yields; Main Cropping
 System Experiment (MCSE)
- Red-winged blackbird, 367(table)
- Residue (plant)
 cover, 265
 in crop simulation models, 261,
 263(tables)
 nitrogen transformations and,
 222, 235–37
 soil organic matter and, 104–06, 115,
 118–19, 120, 326
- Resistant SOM pool, 105, 116, 127
- Resource Gradient Experiment, 24
 corn yields, 23(figure)
 description of, 17
 nitrogen in, 217, 219(figure), 230, 231,
 231(figure)
- Revealed preference methods, 55, 56–58
- Rhagoletis pomonella*, 190
- Rhannus cathartica*, 14, 199–200, 207
- Rhannus frangula*, 14
- Rhannus* spp., 199–200
- Rivers, 293–97
- Rootworms, 11, 81–82
- Rothamsted, England, 2, 44
- Row crops
 climate change implications for, 96–98
 description of LFL and MCSE systems,
 382(table)
 ecosystem services provided by, 158–59
 greenhouse gas mitigation and, 312–13
 implications for human and
 environmental welfare, 33–34
 KBS focus on, 3
 weed communities and, 161
See also Kellogg Biological Station
 Long-Term Ecological Research;
 North Central Region
- rRNA sequences. *See* Small subunit
 ribosomal RNA
- Rubus allegheniensis*, 13
- Rubus occidentalis*, 168(table)
- Rumex crispus*, 168(table)
- Russ Forest, 113, 114(figure)
- Ryegrass cover crops, 11, 234, 345, 379,
 381, 384
See also Cover crops
- Saginaw Bay watershed, 81
- Saginaw River, 79, 278
- SALUS model, 17, 253, 260–69
 on biogeochemical fluxes, 264–69
 components of, 260–63, 261(figure)
- SALUS-TERRAE model, 267, 267(figure),
 268(figure), 269
- Scarlet tanager, 367(table)
- Scouting, 46, 83, 343, 346, 347(figure)
- Secale cereal*, 379
- Seed banks
 insect predation and, 191–94
 MCSE monitoring of, 15
 plant community dynamics and, 161,
 163, 164, 164(table), 166, 169, 180
- Sesquioxide minerals, 105, 106, 127, 128
- Setaria faberi*, 165–66, 168(table),
 169, 172
- Seven-spotted ladybeetle. *See* *Coccinella*
septempunctata
- Shotgun sequencing, 138, 142
- Silicate minerals, 20
- Silicon, 278, 297, 302
- Small grains, adding to rotations, 46, 343,
 346, 346(table), 352
- Small subunit ribosomal RNA (SSU
 rRNA), 136–40, 142, 149, 151–52,
 151(figure)
- Smooth brome grass. *See* Brome grass
- Smooth crabgrass, 395
- Snowfall, 18
- SOC. *See* Soil organic carbon

- Sodium, 284, 293
- Soil
- aggregates, 44, 104–05, 115–116, 138, 150, 260, 360
 - classification, 20, 35
 - clay, 105, 106, 107, 115, 117, 118, 119, 121, 123, 127, 128
 - erosion of, 109–10, 257
 - fertility of, 43–45
 - of KBS, 20, 35, 105
 - in LFL Experiment, 394(table)
 - minerals in, 283
 - pH of, 142–43, 149, 150, 284, 290
 - silt, 105, 106, 108, 115, 117, 118, 119, 121, 123, 127, 128
- Soil Bank, 81
- Soil carbon. *See* Soil inorganic carbon; Soil organic carbon
- Soil carbon sequestration, 25, 25(figure), 34, 343, 379, 387, 401, 402
- greenhouse gases and, 313, 314, 326–27
 - in LFL Experiment, 394
 - soil microbial diversity and, 144
- Soil conservation, 45, 46(figure), 348, 349(figure)
- Soil inorganic carbon, 105
- See also* Carbonate minerals
- Soil inorganic nitrogen, 2, 224, 224(figure), 225(figure), 236(figure) 281–82, 320, 384
- See also* Ammonium; Nitrate
- Soil microbial diversity, 135–57
- cultivation and characterization of microbes, 149–50
 - ecology of microbes, 149–53
 - environmental drivers of, 142–44
 - function relationship with, 144
 - molecular surveys of, 136–40
 - power-efficiency trade-offs, 151–53
 - taxonomic and functional, 140–42
- Soil microbial respiration, 147–48
- Soil moisture, 44(figure), 45, 88
- See also* Soil water
- Soil organic carbon (SOC), 104, 105–06, 147, 383, 397, 399, 400–01
- active, passive, and resistant pools, 104–05, 116, 125, 127, 256, 261
 - from corn sites, 118(table)
 - crop simulation models on, 253, 256, 254, 256–57, 260–61, 264–65
 - economic valuation and, 45, 46
 - farmers' attitudes toward, 348, 349(figure)
 - global warming impact and, 328, 330, 332
 - greenhouse gases and, 42–43, 312, 313, 315–16, 326–27
 - in LFL Experiment, 393–94
 - management effects on, 109–14, 110(table), 112(figure), 113, 114(figure), 114(table)
 - MCSE monitoring of, 15, 265, 266(figure), 386–87
 - non-hydrolyzable fraction, 106, 108, 108(table), 117–18
 - organic agriculture and, 398
 - phenol, 116–17
 - plant inputs, 123–24
 - pools 104–05, 116, 117(table), 119, 125, 127, 256, 261
 - rise in reserves of, 341
 - radiocarbon dating, 119, 121, 123–24
 - slow pool, 105, 116, 117, 119, 256, 261
 - soil aggregate size and, 115, 116(figure)
 - soil fertility and, 44–45
 - soil microbial diversity and, 144
 - trade-offs and, 390(table), 391, 395–96
 - See also* Soil inorganic carbon; Soil organic matter dynamics
- Soil organic matter (SOM). *See* Soil organic carbon
- Soil organic matter (SOM) dynamics, 104–34
- biochemical controls on, 120–23
 - landscape and vegetation effects on, 106–8
 - major factors controlling, 106
 - management effects on, 109–15
 - pools and fluxes controlling, 115–19
 - role of microbial biomass and composition, 124–26
 - role of plant carbon inputs, 123–24
 - See also* Soil organic carbon
- Soil seed banks. *See* Seed banks
- Soil organic nitrogen, 281
- Soil organic phosphorus, 261, 281
- Soil testing for nitrogen/nitrate, 46, 47, 69, 345, 346(table), 347(table), 348, 350, 351(table)
- Soil type, *See* Soil classification

- Soil water
 chemical changes in, 283–84, 285(figure)
 crop simulation models on, 257, 260,
 261, 266–67, 268(figure)
 ionic composition of, 285–86,
 285(figure)
 management effects on, 284–90
 specific conductance of, 277(figure)
See also Soil moisture
- Soil water-holding capacity, 83, 84(figure)
- Solanum carolinense*, 395
- Solidago canadensis*, 13, 168(table), 173
- Solidago juncea*, 168(table)
- Solidago* spp., 173
- SOM. *See* Soil organic matter
- Song sparrow, 367(table)
- Sorghum, 118, 259
- Soundscape Index, 363–64
- Soundscapes, 360–77
 analysis of, 362–63
 automated acoustic recording system in,
 364–71
 taxonomy of, 361–62, 362(figure)
- South Dakota, 25, 78(figure), 81, 85(figure)
- Southern Corn Leaf Blight, 82
- Soybean aphid, 38, 83, 192, 199–206, 207
 arrival of, 199, 199(figure)
 economic valuation of control, 59–61,
 60(figure)
 farming for services and, 38–39
 field-level response to, 202–04
 intraguild predation and, 200–02
 landscape effects on, 204–06
 modeling population growth, 202
 top-down vs. bottom-up effects, 200–01
 working model of suppression, 204
- Soybean cyst nematode, 83
- Soybeans, 1, 3, 17, 34, 164, 165, 279
 biodiesel produced from, 327, 328
 climate change implications, 96, 97, 98
 crop simulation models on, 255, 259
 crop stress and, 88, 89–94
 diseases affecting, 82
 early cultivation of, 379
 farmers' decisions on cultivation practices,
 345–50, 346(table), 347(figure)
 genetically modified, 35, 345
 global warming impact and, 321, 330–32
 greenhouse gases and, 322, 322(table)
 herbicide-resistant, 37, 189
 nitrogen and, 214, 216(table), 217,
 218(table), 219, 220(figure), 233
 percentage of cropland used for, 22
 pest management and, 190, 196,
 197(figure) (*see also* Soybean aphid)
 rise of production, 80–81
 soil moisture and, 45
 soil organic matter and, 118
 superior biological traits of, 380
 survey of farmers (*see* Crop Management
 and Environmental Survey)
 value of production, 77
 yields, 23, 37, 83–85, 85(figure),
 86(figure), 87(figure), 89–94,
 93(figure), 94(figure), 385(table), 401
See also Corn-corn-soybean rotations;
 Corn-corn-soybean-wheat
 rotations; Corn-soybean-canola
 rotations; Corn-soybean rotations;
 Corn-soybean-wheat rotations
- Spectroscopy. *See* Mid-infrared
 spectroscopy
- Spring beauty. *See* *Claytonia virginica*
- Spring peeper frogs, 363
- SSU rRNA. *See* Small subunit
 ribosomal RNA
- Stable isotope ratios (as tracers), 127, 145,
 197, 294
- Stable soil phosphorus pool, 261
- Stated preference methods, 55, 61, 64–67
- Stationary sounds, 362, 362(figure)
- Stellaria media*, 169
- Sticky traps, 190, 195, 205(figure)
- Streams, 277, 277(figure),
 292(figure), 293–97
- Subsidy
 payments, 66, 70
 policy/programs, 81, 353, 380
- SUBSTOR, 257
- Successional and reference communities
 (MCSE), 5–6
 description of, 10(table), 13–14
 global warming impact and, 41(figure),
 315(table), 317(table)
 nitrogen in, 216(table), 223(table)
See also Deciduous Forest system; Early
 Successional communities; Main
 Cropping System Experiment (MCSE);
 Mid-successional communities; Mown
 Grassland (never tilled)

- Sugar maple, 14
- Sulfate, 281–82, 291, 294, 298
- Sulfur, 256, 298
- Sulfur dioxide, 352
- Sulfuric acid, 290
- Surface waters, 276(figure), 277, 293–303, 301(figure)
See also Lakes; Rivers; Streams; Wetlands
- Sustainable agricultural systems, 396–400
See also SALUS model
- Sweden, 259, 400
- Sweep nets, 195
- Swidden agriculture, 380
- Switchgrass, 3–5, 18, 42, 118
- Systems Approach to Land Use
 Sustainability model. *See* SALUS model
- Tall-runner species, 172–73
- Taraxacum officinale*, 39, 168(table), 196
- Tax, 47, 68, 353
- TDP. *See* Total dissolved phosphorus
- Technology (agricultural), 7, 255
 adoption, 45, 344–46
 innovation, 236, 328
See also Acoustic observations
- Temperature, 78
 changes in, 96
 crop simulation models on, 254–55, 262
 Crop Stress Index and, 87, 88
 at KBS, 19, 19(figure), 35, 278
 soil organic matter and, 109–10
See also Climate
- Temporal dynamics, 167–71
- Temporal sounds, 362, 362(figure)
- Terminal restriction fragment length
 polymorphism (tRFLP), 137(figure), 138, 144, 147
- TERRAE model, 267
See also SALUS-TERRAE model
- Terriglobus roseus*, 150
- Texas, 81
- Thermal time calculations, 259, 260
- Thirteen-spotted ladybeetle. *See* *Hippodamia tredecimpunctatitibialis*
- Three-banded ladybeetle. *See* *Coccinella trifasciata perplexa*
- Tillage, 11, 384, 401
 conservation, 39, 238, 345, 349, 387, 397, 401
 crop simulation models on, 264–65
 farmers' decisions on, 343, 344, 345, 346(table), 346, 347(figure), 347, 350, 350, 351(table), 352, 354
 nitrogen loss mitigation and, 238–39
 plant community dynamics and, 163–65, 168(table), 169, 171–72, 172(figure), 173, 173(figure), 179, 180
 soil organic matter and, 110
See also No-till practices; No-till system
- Time-to-ponding (TP) concept, 261
- Tobit statistical model, 66
- Timothy grass. *See* *Phleum pratense*
- Top-down effects, 200–01
- Topography, role in SOM dynamics, 111
- Total dissolved phosphorus (TDP), 286–88, 287(figure), 300(figure), 301
- Total factor productivity, 342(figure)
- Tradable permits (emissions, pollution), 352
- Trade-offs (economic and environmental), 401
 economic, analysis of, 61, 62–64, 64(table)
 in LFL Experiment, 390(table), 391, 395–96
 of ecosystem services in MCSE, 390–91, 390(table), 395–96
 between profitability and ecosystem services, 62–64
- Trade-offs (microbial metabolism), 151–53
- Transpiration, 97
- Trapping (insects), 190–91, 195, 198, 202
- tRFLP. *See* Terminal restriction fragment length polymorphism
- Trifolium hybridum*, 168(table)
- Trifolium incarnatum*. *See* Crimson clover cover crops
- Trifolium pratense*. *See* Red clover cover crops
- Trifolium repens*, 168(table)
- Triticum aestivum*. *See* Wheat
- Trophic cascade, 200, 201
- Tufted titmouse, 367(table)
- Twice-stabbed ladybeetle. *See* *Chilocorus stigma*
- Two-spotted ladybeetle. *See* *Adalia bipunctata*
- Typic Hapludalfs, 35, 105

- United States Department of Agriculture (USDA), 12, 35, 345
See also Conservation Reserve Program; Environmental Quality Incentives Program; North Central Region
- United States Environmental Protection Agency (EPA), 228, 288
- United States Geological Survey (USGS), 281, 295
- Urea, 217
- Urea ammonium nitrate (UAN), 217, 218(table)
- USDA. *See* United States Department of Agriculture
- Use values, 55
- Variiegated ladybeetle. *See Hippodamia variegata*
- Variogram, 217(figure)
- Vegetation
 perennial, 399–400
 pre-European settlement, 20–21
 soil organic matter dynamics and, 106–8
- Verbal signals, 362, 362(figure)
- Veronica perigrina*, 169
- Verrucomicrobia, 142, 149
- Vertebrate exclosure, 194, 194(figure)
- Virginia springbeauty. *See Claytonia virginica*
- Water movement, 275
 hydrogeology and landscape paths, 278–80
 from precipitation to groundwater, 277, 278–93
 soil chemical changes from, 283–84, 285(figure)
- Water quality, 275–309
 economic valuation and, 54, 59, 61
 farmers' decisions and, 342, 343, 349
 farming for services and, 39–41
 in LFL Experiment, 394–95
 management effects on, 284–90
 in MCSE, 280, 284–91, 388–89
See also Groundwater; Surface waters; Water movement
- Watersheds, 8, 237, 323
 Augusta Creek, 20, 281(figure), 291
 Gull Creek/Gull Lake, 20
 Kalamazoo River, 276(figure), 278, 279–80
 Rabbit River, 294
 Saginaw Bay, 81
 Weather, 261–62, 262(table)
See also Climate
- Weeds, 11, 12, 13, 37, 159, 161, 178, 180, 383, 384
 carabid control of, 191–94, 390
 conservation agriculture and, 397
 crop yield and, 175
 disturbance effects on, 163–66
 emergent community, 163, 169
 LFL Experiment management of, 395
 MCSE management of, 389–90
 no-till practices and, 347
 potential community, 163
 precipitation and, 179–80
 shifting systems of management, 189
 temporal dynamics in communities, 169
- Wet deposition
 of nitrogen, 221, 221(figure)
 of sulfate, 282
- Wetlands, 39, 277, 277(figure), 297–98
 economic valuation and, 58
 groundwater quality and, 290
 nitrate leaching in, 228
 nitrogen management and, 237–38
- Wheat, 1, 3, 12, 17, 34, 46, 65, 66, 69, 165, 279
 biofuel produced from, 328
 climate change implications, 96
 crop simulation models on, 259, 263
 crop stress and, 87
 early cultivation of, 79, 379
 farmers' decisions on planting, 345
 global warming impact and, 321
 greenhouse gases and, 322
 nitrogen and, 214, 216(table), 217, 218(table), 219(figure), 221, 230, 231, 233
 percentage of cropland used for, 22, 343
 pest management and, 39, 190, 195, 197(figure)
 soft red, 23
 soil organic matter and, 118, 125, 126(table), 128
 soundscapes of systems including, 370, 370(table), 371, 372(figure)
 superior biological traits of, 380

- Wheat (*cont.*)
yields, 23, 36–37, 384, 385,
385(table), 399
See also Corn-soybean-wheat rotations;
Crop yields
- WHIP. *See* Wildlife Habitat
Incentives Program
- White oak, 14
- White pine, 13
- Wildlife Habitat Incentives Program
(WHIP), 342
- Wildlife habitats, 56–58
- Willingness
to accept payment, 46, 350–51
to adopt, 45, 65, 346–47, 350–51
to pay, 45–48, 68–70
- Win-win, 62, 346, 352
- Wintergreen Lake, 301(table), 302
- Wisconsin, 25, 61, 78(figure), 79, 81, 85,
85(figure), 96, 393
- Wooster, Ohio, 120–21, 122(figure), 125
- Working ecosystem, 354
- Yield. *See* Crop yields.
- Yield penalty, 37, 98, 391, 401–02
- Yields at KBS. *See* Corn yields;
Crop yields; Soybean yields;
Wheat yields
- Zea mays*. *See* Corn
- Zebra mussels, 302